

HYDRAULIC BATTERY-POWERED **UTILITY LINEMAN** TOOLS

#1 POWER TO CHOOSE



**Huskie
TOOLS**

LINEMAN PROVEN

UTILITY APPROVED

SINCE 1976

HUSKIETOOLS.COM

**BUILT FOR
EVERYTHING
THAT'S ON
THE LINE.™**

SERIES **7R**
PRO LINE

SERIES **7M**
PRO LINE

A HALF-CENTURY OF PROVEN HIGH-PERFORMANCE UTILITY LINEMAN TOOLS & EQUIPMENT.

Born and Raised in Chicago nearly 50 years ago, Huskie Tools was started because of an industry need for better-engineered, longer-lasting, and safer linemen tools. Over the years, Huskie Tools has benchmarked itself as a category leader in providing the utility industry with an unmatched range of product solutions, including battery-powered cutting and crimping tools, presses, pumps, dies, manual tools, the TiiGER™ pole puller, and the Bulldog Bender™ for men & women working in all facets of the energy industry.

“Lineman, engineers, and facility managers are always interested in what Huskie Tools is working on next, be it our materials selection, product concepts, equipment engineering, training, or safety process controls; they are all important to the linemen community we proudly serve.” said Charlie Kelly, VP of Sales for Huskie Tools.

Whether above the ground or below the road, Huskie Tools is the top-tier North American manufacturer of crimping, cutting, bending, and pulling tools for the lineman industry and has been supplying state-of-the-art technology to these warriors of the weather & wire for many

years. Whether it’s standard installation, repairs & maintenance, grid upgrades, or cleaning up after a disaster, they have what it takes to get the job done right. Huskie Tools, industry-wide, is known for providing tool options that give you “The Power to Choose.”

From the Back of the Yards to the Monsters of the Midway, Chicago has always been a “City of Big Shoulders,” and Huskie Tools have been the tool of choice for the linemen and linewomen that “Get the Job Done!”. Huskie Tools was born and raised in the Windy City and continues to supply linemen in their quest to keep the power on!

**BUILT FOR
EVERYTHING
THAT’S ON
THE LINE.™**

**THE
POWER
TO
CHOOSE**

“LINEMAN, ENGINEERS, AND FACILITY MANAGERS ARE ALWAYS INTERESTED IN WHAT HUSKIE TOOLS IS WORKING ON NEXT, BE IT OUR MATERIALS SELECTION, PRODUCT CONCEPTS, EQUIPMENT ENGINEERING, TRAINING, OR SAFETY PROCESS CONTROLS, THEY ARE ALL IMPORTANT TO THE LINEMEN COMMUNITY WE PROUDLY SERVE.”

CHARLIE KELLY, VP OF SALES
HUSKIE TOOLS





EVS POWER SYSTEM PG. 11

- PG. 16** **SL-MK7ND** 6 Ton Inline Crimping Tool with Changeable Jaws
- PG. 16** **SL-RL7ND** 6 Ton Inline Crimping Tool with Changeable Jaws
- PG. 17** **CRIMPING & CUTTING JAWS FOR SL-MK7ND & SL-RL7ND** 6 Ton Inline Crimping & Cutting Jaws
- PG. 18** **SLC-MK7ND** 6 Ton Inline Crimping Tool with LED Light Ring & Changeable Jaws
- PG. 18** **SLC-RL7ND** 6 Ton Inline Crimping Tool with LED Light Ring & Changeable Jaws

- PG. 19** **CRIMPING & CUTTING JAWS FOR SLC-MK7ND & SLC-RL7ND** 6 Ton Inline Crimping & Cutting Jaws
- PG. 20** **REC-MK7NDSL** 6 Ton Pistol Grip Crimping Tool with Changeable Jaws
- PG. 20** **REC-RL7NDSL** 6 Ton Pistol Grip Crimping Tool with Changeable Jaws
- PG. 21** **CRIMPING & CUTTING JAWS FOR REC-MK7NDSL & REC-RL7NDSL** 6 Ton Pistol Grip Crimping & Cutting Jaws



CABLE & GROUND ROD BENDING TOOLS PG. 23

- PG. 24** **BULLDOG BENDER** Cable Bending Tools
- PG. 25** **REC-MK7NDGRB** Gear-Drive Ground Rod Bender
- PG. 25** **REC-RL7NDGRB** Gear-Drive Ground Rod Bender



CUTTING TOOLS PG. 27

- PG. 28** **CUTTING TOOL REFERENCE GUIDE**
- PG. 30** **SLC-MK760YC** 6 Ton Inline 60MM Cutting Tool with LED Light Ring
- PG. 30** **SLC-RL760YC** 6 Ton Inline 60MM Cutting Tool with LED Light Ring
- PG. 31** **RCC-MK754ACM** Remote Gear-Driven Soft Metal Cable Cutter
- PG. 32** **REC-MK754ACM** Gear-Driven Cable Cutter [ACSR/AL/CU]
- PG. 32** **REC-RL754ACM** Gear-Driven Cable Cutter [ACSR/AL/CU]
- PG. 33** **REC-MK765ACM** Gear-Driven Cable Cutter [ACSR/AL/CU]
- PG. 33** **REC-RL765ACM** Gear-Driven Cable Cutter [ACSR/AL/CU]
- PG. 34** **REC-MK734YC** 6.6 Ton Pistol Grip Soft Metal Cutting Tool
- PG. 34** **REC-RL734YC** 6.6 Ton Pistol Grip Soft Metal Cutting Tool
- PG. 35** **REC-MK760YC** 6.6 Ton Pistol Grip Soft Metal Cutting Tool
- PG. 35** **REC-RL760YC** 6.6 Ton Pistol Grip Soft Metal Cutting Tool
- PG. 36** **REC-MK7105YC** 12 Ton Pistol Grip Soft Metal Cutting Tool
- PG. 36** **REC-RL7105YC** 12 Ton Pistol Grip Soft Metal Cutting Tool
- PG. 37** **S7L-MK105YC** 13 Ton Lunch Box Soft Metal Cable Cutter
- PG. 37** **S7L-RL105YC** 13 Ton Lunch Box Soft Metal Cable Cutter
- PG. 38** **SL-MK795YC** 12 Ton Inline Soft Metal Cutting Tool
- PG. 38** **SL-RL795YC** 12 Ton Inline Soft Metal Cutting Tool
- PG. 39** **S7L-MK132** 13 Ton Lunch Box Soft Metal Cable Cutter
- PG. 39** **S7L-RL132** 13 Ton Lunch Box Soft Metal Cable Cutter
- PG. 40** **REC-MKY733M** Gear-Driven Cable Cutter [ACSR/AL/CU]
- PG. 40** **REC-RLY733M** Gear-Driven Cable Cutter [ACSR/AL/CU]
- PG. 41** **REC-MK754M** Gear-Driven Cable Cutter [ACSR/AL/CU]
- PG. 41** **REC-RL754M** Gear-Driven Cable Cutter [ACSR/AL/CU]
- PG. 42** **SL-MKS720** 6 Ton Inline Hard Metal Cutting Tool
- PG. 42** **SL-RLS720** 6 Ton Inline Hard Metal Cutting Tool
- PG. 43** **SL-MKS740L** 8 Ton Inline Hard Metal Cutting Tool
- PG. 43** **SL-RLS740L** 8 Ton Inline Hard Metal Cutting Tool
- PG. 44** **REC-MKS724H** 8 Ton Pistol Grip Hard Metal Cutting Tool



CUTTING TOOLS CONT.

- PG. 44** **REC-RLS724H** 8 Ton Pistol Grip Hard Metal Cutting Tool
- PG. 45** **REC-MKS724CC** 8 Ton Pistol Grip Hard Metal Cutting Tool
- PG. 45** **REC-RLS724CC** 8 Ton Pistol Grip Hard Metal Cutting Tool
- PG. 46** **REC-MK730Y** 6.6 Ton Pistol Grip Hard Metal Cutting Tool
- PG. 46** **REC-RL730Y** 6.6 Ton Pistol Grip Hard Metal Cutting Tool
- PG. 47** **REC-MKS740L** 8 Ton Pistol Grip Hard Metal Cutting Tool
- PG. 47** **REC-RLS740L** 8 Ton Pistol Grip Hard Metal Cutting Tool
- PG. 48** **S7L-MK55** 13 Ton Lunch Box Hard Metal Cable Cutter
- PG. 48** **S7L-RL55** 13 Ton Lunch Box Hard Metal Cable Cutter

CRIMPING TOOLS PG. 49



- PG. 50** **CRIMPING TOOL REFERENCE GUIDE**
- PG. 52** **REC-MK758U** 6 Ton Pistol Grip Crimping Tool
- PG. 52** **REC-RL758U** 6 Ton Pistol Grip Crimping Tool
- PG. 53** **REC-MKCN758** 6 Ton Pistol Grip Crimping Tool
- PG. 53** **REC-RLCN758** 6 Ton Pistol Grip Crimping Tool
- PG. 54** **SL-MK7630** 6.2 Ton Inline Dieless Crimping Tool
- PG. 54** **SL-RL7630** 6.2 Ton Inline Dieless Crimping Tool
- PG. 55** **SL-MK7750** 6.2 Ton Inline Dieless Crimping Tool
- PG. 55** **SL-RL7750** 6.2 Ton Inline Dieless Crimping Tool
- PG. 56** **REC-MK7630** 6.2 Ton Pistol Grip Dieless Crimping Tool
- PG. 56** **REC-RL7630** 6.2 Ton Pistol Grip Dieless Crimping Tool
- PG. 57** **REC-MK7750** 6.2 Ton Pistol Grip Dieless Crimping Tool
- PG. 57** **REC-RL7750** 6.2 Ton Pistol Grip Dieless Crimping Tool
- PG. 58** **SL-MKC7510** 12 Ton Inline Crimping Tool
- PG. 58** **SL-RLC7510** 12 Ton Inline Crimping Tool
- PG. 59** **SL-MK7510K** 12 Ton Inline Crimping Tool
- PG. 59** **SL-RL7510K** 12 Ton Inline Crimping Tool
- PG. 60** **REC-MK7430** 12 Ton Pistol Grip Crimping Tool
- PG. 60** **REC-RL7430** 12 Ton Pistol Grip Crimping Tool
- PG. 61** **REC-MK7510** 12 Ton Pistol Grip Crimping Tool
- PG. 61** **REC-RL7510** 12 Ton Pistol Grip Crimping Tool
- PG. 62** **REC-MK7510K** 12 Ton Pistol Grip Crimping Tool
- PG. 62** **REC-RL7510K** 12 Ton Pistol Grip Crimping Tool
- PG. 63** **REC-MK71000** 12 Ton Pistol Grip Dieless Crimping Tool
- PG. 63** **REC-RL71000** 12 Ton Pistol Grip Dieless Crimping Tool
- PG. 64** **SL-MK71000** 12 Ton Inline Dieless Crimping Tool
- PG. 64** **SL-RL71000** 12 Ton Inline Dieless Crimping Tool
- PG. 65** **SL-MKC71000** 12 Ton Inline Dieless Crimping Tool
- PG. 65** **SL-RLC71000** 12 Ton Inline Dieless Crimping Tool
- PG. 66** **S7L-MK510** 12 Ton Lunch Box Crimping Tool
- PG. 66** **S7L-RL510** 12 Ton Lunch Box Crimping Tool
- PG. 67** **S7L-MK510K** 12 Ton Lunch Box Crimping Tool
- PG. 67** **S7L-RL510K** 12 Ton Lunch Box Crimping Tool
- PG. 68** **SL-MK7610** 15 Ton Inline Crimping Tool
- PG. 68** **SL-RL7610** 15 Ton Inline Crimping Tool
- PG. 69** **SL-MKC7610** 15 Ton Inline Crimping Tool
- PG. 69** **SL-RLC7610** 15 Ton Inline Crimping Tool
- PG. 70** **REC-MKC7610** 15 Ton Pistol Grip Crimping Tool
- PG. 70** **REC-RLC7610** 15 Ton Pistol Grip Crimping Tool
- PG. 71** **S7L-MK610** 15 Ton Lunch Box Crimping Tool
- PG. 71** **S7L-RL610** 15 Ton Lunch Box Crimping Tool
- PG. 72** **S7L-MK610TB** 15 Ton Lunch Box Crimping Tool
- PG. 72** **S7L-RL610TB** 15 Ton Lunch Box Crimping Tool



BATTERIES & CHARGERS PG. 74

UTILITY-GRADE



VERSATILE ROTATING HEAD

PATENT-PENDING SELECTABLE
AUTO-RETRACT SWITCH

TOOL ADVANCE TRIGGER

TOOL RELEASE TRIGGER

BRIGHT LED
WORK LIGHT

LED TOOL STATUS
INDICATOR

BATTERY CHARGE
LEVEL INDICATOR

UTILITY GRADE

Durable,
dependable,
built to last

LIVE LINE RATED

Tested to 75kV
without damage to
internal circuitry

COMPLETE LINE

6 to 15 ton power

OPTIMIZED HYDRAULICS

Fast advance &
retract speeds

RAPID CHARGING

Full charge in 45
minutes or less

CONSTANT POWER

Longer run times,
consistent charge

FEATURES & TECHNOLOGY



CHOOSE YOUR POWER 18V LITHIUM-ION BATTERY PLATFORM

Featuring consistent power and extended run-times, these fast charging Milwaukee® or Makita® batteries include an integrated LED battery charge level indicator for easy monitoring.



PERFORMANCE, GUARANTEED

5-Year Tool Warranty on all SL, REC and SLC Series tools. Milwaukee® & Makita® batteries and chargers are warranted for 3 years by Huskie Tools.



LED WORKLIGHT

Built-in white LED light aimed at tool jaws for working in low light conditions.



ACSR CABLE CUTTING

Specially designed jaws for strength and durability when cutting ACSR.



LIVE LINE RATED

Tested up to 75kV for use on live line applications without damage to internal circuitry.

THE POWER TO CHOOSE.

BUILT FOR EVERYTHING THAT'S ON THE LINE.™

INNOVATION.

Since introducing the industry's first battery-powered hydraulic tools in 1989, Huskie Tools remains dedicated to developing product solutions that help ensure linemen safely and efficiently perform some of the most dangerous and demanding jobs on the planet.

DURABILITY.

Over the years we've developed a bit of a reputation; we like to think legendary. Huskie Tools hydraulics combine the highest quality materials with advanced technology to provide ultimate reliability. Simply put, Huskie Tools are the safest, most durable, dependable, and longest lasting lineman tools in the industry.

SERVICE & SUPPORT.

We take pride in serving the needs of the utility industry. Through in-depth industry knowledge and unsurpassed tool expertise, Huskie Tools provides truly exceptional customer service, technical support and product service.

EXPERIENCE.

We've spent almost 50-years doing one thing, building the best hydraulic cutting and crimping tools in the utility industry. We live, eat, and breathe lineman tools. At Huskie Tools they're not just tools, they're our business—our ONLY business.

FULL LINE.

No other competitor comes close to the breadth of line and complete range of product solutions available from Huskie Tools. When it's on the line, linemen count on Huskie Tools for all their distribution, substation, transmission, overhead and underground projects.

YOUR JOB IS TOUGH. YOUR TOOL CHOICE IS EASY.

THE POWER TO CHOOSE: **SERIES 7R** MILWAUKEE® BATTERY PLATFORM & THE **SERIES 7M** MAKITA® BATTERY PLATFORM

Huskie Tools is the #1 choice of experienced linemen who know and trust the brand that invented battery-powered hydraulic tools.

For nearly 50 years we have been developing and building the broadest, most durable and dependable line of battery-powered hydraulic cutting and crimping tools in the utility industry.

Huskie Tools delivers battery-powered hydraulic tools with compatibility across the two leading battery platforms: Makita® and Milwaukee®. The Power to Choose.

ENGINEERED PERFORMANCE:

- OPTIMIZED HYDRAULICS—
20% FASTER ADVANCE AND
30% FASTER RETRACTION
- PATENT-PENDING SELECTABLE
ON/OFF AUTO-RETRACT
- FORGED JAWS WITH PROTECTIVE
BRUSH GUARDS
- WEATHER RESISTANT,
NON-VENTED HOUSINGS
- CHOICES: INLINE, GEAR DRIVE,
PISTOL-GRIP, AND LUNCH BOX

SERIES 7R
64 TOOLS ON THE
MILWAUKEE® BATTERY
PLATFORM!

SL-RL7ND

LEARN MORE ABOUT HOW HUSKIE TOOLS
OUTPERFORM, OUTLAST & OUTWORK AT
HUSKIETOOLS.COM



Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

LINEMAN PROVEN
UTILITY APPROVED

SINCE 1976



S7R & S7M CRIMPING TOOLS



SL-RL7ND
8 TON INLINE



REC-MK7510
12 TON PISTOL-GRIP



SL-RL7610
15 TON INLINE

S7R & S7M CUTTING TOOLS



REC-RLS740L
8 TON PISTOL-GRIP
AL/CU UP TO 1.5" DIA.
ACSR UP TO 1590 MCM



REC-MK754M
GEAR DRIVE
AL UP TO 1500 MCM
CU UP TO 750 MCM
ACSR UP TO 1590 MCM



S7L-RL105YC
12 TON LUNCH BOX
AL/CU UP TO 4" DIA.
COMM. CABLES UP TO 4" DIA.

THE POWER TO CHOOSE.



SERIES 7M
65 TOOLS
ON THE MAKITA®
BATTERY
PLATFORM.

SL-MK7ND

12

PRODUCT CATEGORIES

7

GENERATIONS OF BATTERY POWERED TOOLS

129+

BATTERY POWERED TOOLS

2

BATTERY PLATFORMS:
SERIES 7R
SERIES 7M

THE INDUSTRY'S BEST JAWS + THE POWER TO CHOOSE™

THE PERFECT COMBINATION.

Copper, aluminum, & ACSR don't stand a chance. The new battery-powered **SLC Evolution Cutting & Compression tools** available on the Milwaukee® & Makita® battery platforms **AND** the changeable **EVS Cutting & Compression Jaws** make the SLC line **UNBEATABLE.**



NEW EVS-GWJAW
Cuts EHS Guy Wire up to 1/2" diameter & copper, aluminum, & ACSR up to 4/0.



NEW EVS-ACSRJAW
Cuts EHS Guy Wire up to 3/8" diameter & copper, aluminum up to 350 MCM, & ACSR up to 556 MCM.



NEW EVS-CUALJAW
Cuts copper up to 750 MCM & aluminum up to 1" O.D.



NEW EVS-D3JAW
Crimps lugs & splices #8 to 500 MCM copper, #8 to 350 MCM aluminum, and H-Taps up to 4/0-4/0.



NEW EVS-BGJAW
Crimps lugs & splices #8 to 500 MCM copper, #8 to 350 MCM aluminum, and H-Taps up to 4/0-4/0.



NEW EVS-DJAW
Crimps lugs & splices #8 to 500 MCM copper, #8 to 350 MCM aluminum, and H-Taps up to 4/0-4/0.



NEW EVS-KJAW
Crimps lugs & splices #8 to 500 MCM copper, #8 to 350 MCM aluminum, and H-Taps up to 4/0-4/0.



SERIES 7R
PRO LINE

SERIES 7M
PRO LINE

THE POWER TO CHOOSE.

EVS POWER SYSTEM

EVS POWER SYSTEM

- Interchangeable jaws for bending, cutting & crimping compatible with inline & pistol grip cutting & crimping tools
- Ergonomic design for easy one-hand operation
- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent pending Auto-Retract feature on pistol grip models provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction
- INLINE style tools
- 5-year tool/3-year battery Huskie Tools limited warranty

Huskie TOOLS
SLC-MK7ND
EVS PRO COMPACT
SERIES 7M
18V

TO THE POWER TO CHOOSE



INTERCHANGEABLE CUTTING JAWS

We let you decide what jaws and dies you need, what tool style you like, and on what battery platform you want your power to come from. **Choices — it's all about choices, functionality, and customization for your project with the widest and deepest array of product solutions for the needs of your above or below-ground application.**



INTERCHANGEABLE CABLE BENDING JAW



INTERCHANGEABLE CRIMPING JAWS

ENGINEERED PERFORMANCE:

- 8 INTERCHANGABLE JAWS FOR BENDING, CUTTING & CRIMPING
- COMPATIBLE WITH YOUR CHOICE OF INLINE & PISTOL GRIP HYDRAULIC TOOLS
- THE PERFECT SOLUTION FOR OVERHEAD, UNDERGROUND & SUBSTATION APPLICATIONS
- FORGED JAWS WITH PROTECTIVE BRUSH GUARDS
- THE POWER TO CHOOSE: COMPATIBLE WITH THE **SERIES 7R MILWAUKEE®** BATTERY PLATFORM & THE **SERIES 7M MAKITA®** BATTERY PLATFORM



PISTOL GRIP STYLE 6T HYDRAULIC TOOLS



INLINE 6T HYDRAULIC TOOLS



SERIES 7R MILWAUKEE® BATTERY & SERIES 7M MAKITA® BATTERY PLATFORMS



DIES

INTRODUCING THE **EVS** POWER SYSTEM. EVERYTHING YOU NEED TO **BEND, CUT & CRIMP.**



LARGE HANDLE FOR EASE OF OPERATION AND PROPER LOCATING ON CABLE

LARGE RADIUS BENDING SHOE PREVENTS DAMAGE TO CABLE

ADJUSTABLE ROLLER LOCATIONS TO FINE TUNE THE BEND RADIUS ON CABLES UP TO 1000MCM

BEVELED ROLLERS ALIGN CABLE IN THE CENTER OF THE JAW

CABLE BENDING JAWS

The patented cable bending jaw for the EVS tool system was designed to put a proper bend radius in underground copper and aluminum cables up to 1000MCM, assisting installations in tight quarters underground and in vaults and other hard to access areas.

LEARN MORE ABOUT THE EVS POWER SYSTEM AT [HUSKIETOOLS.COM](https://www.huskiertools.com)



PATENTED DESIGN
US20130081440A1

THE **EVS** POWER SYSTEM: CUTTING JAWS



JAW MARKINGS WITH CUTTING CAPACITIES FOR EASY FIELD ID

REPLACEABLE BLADES FOR EASY FIELD & CONVENIENT REPLACEMENT WITH NO DOWNTIME

NEW CENTER BUSHING FOR ADDED STRENGTH & ALIGNMENT EASE

REDESIGNED AND HEAT TREATED ROLLER SURFACE FOR IMPROVED WEAR RESISTANCE & LONGER JAW LIFE

EVS 6-ton quick-change cutting jaws are forged for exceptional long-life resulting in precise, professional cuts through a wide variety of soft & hard wire and metal each & every time. These essential jaws are part of the EVS system and interchangeable with our SLC, SL & REC series pistol grip and inline ND tools. Huskies' proprietary blade geometry with anti-spread design delivers precise, install-ready cuts in seconds within the tightest work areas. EVS Cutting Jaws features include easy-alignment center bushing and clear, easy-to-read jaw ID marks that ensure you are using the correct jaw/tool combination. Long life, fast-change replaceable blades that deliver precision results and improved productivity with no down-time. EVS is more than a jaw, it's a system. Huskie Tools delivers "tools for life".

EVS POWER SYSTEM

THE POWER TO CHOOSE



LEARN MORE ABOUT THE EVS POWER SYSTEM AT HUSKIETOOLS.COM



EVS-ACSRJAW
REPLACEMENT BLADE: EVS-ASCR-8

CUTS EHS GUY WIRE UP TO 3/8" DIAMETER & COPPER, ALUMINUM UP TO 350 MCM, & ACSR UP TO 556 MCM.



EVS-CUALJAW
REPLACEMENT BLADE: EVS-CUAL-8

CUTS COPPER UP TO 750 MCM & ALUMINUM UP TO 1" O.D.



EVS-GWJAW
REPLACEMENT BLADE: EVS-GW-8

CUTS EHS GUY WIRE UPTO 1/2" DIAMETER & COPPER, ALUMINUM, & ACSR UP TO 4/0.

JAW CUTTING CAPACITIES			
	EVS-ACSRJAW	EVS-CUALJAW	EVS-GWJAW
COPPER	350 MCM	750 MCM	Up to 4/0
ALUMINUM	350 MCM	1" O.D.	Up to 4/0
ACSR	556 MCM	<i>Do Not Cut</i>	Up to 4/0
EHS GUY WIRE, SOFT STEEL BOLTS, SOFT LOCKS	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 1/2"

THE EVS POWER SYSTEM: CRIMPING JAWS



BRUSH GUARDS HELP PREVENT ACCIDENTAL CONTACT WITH ENERGIZED LINES

NEW CENTER BUSHING FOR ADDED STRENGTH & ALIGNMENT EASE

REDESIGNED AND HEAT TREATED ROLLER SURFACE FOR IMPROVED WEAR RESISTANCE & LONGER JAW LIFE

EVS 6-ton quick-change crimping jaws are forged for exceptional long-life that result in precise, professional crimps every time. These essential jaws are part of the EVS system and interchangeable with Huskies' SLC, SL & REC series pistol grip and inline ND tools. EVS is the most dependable way to crimp with features like easy-alignment center bushing and clear, easy to read die ID marks that ensure you are using the correct jaw/die combination. Long life, fast changeover with wide connector range capabilities make this the only tool/jaw/die system you need for improved productivity and precision results.

CONNECTOR RANGE

LUGS & SPLICES

#8 to 500 MCM Cu
#8 to 350 MCM Al

H-TAPS

Up to 4/0



EVS-D3JAW

CRIMPS LUGS & SPLICES
#8 TO 500 MCM COPPER,
#8 TO 350 MCM ALUMINUM,
& H-TAPS UP TO 4/0-4/0.



EVS-BGJAW

CRIMPS LUGS & SPLICES
#8 TO 500 MCM COPPER,
#8 TO 350 MCM ALUMINUM,
& H-TAPS UP TO 4/0-4/0.



EVS-OJAW

CRIMPS LUGS & SPLICES
#8 TO 500 MCM COPPER,
#8 TO 350 MCM ALUMINUM,
& H-TAPS UP TO 4/0-4/0.



EVS-KJAW

CRIMPS LUGS & SPLICES
#8 TO 500 MCM COPPER,
#8 TO 350 MCM ALUMINUM,
& H-TAPS UP TO 4/0-4/0.


EVS DIE SYSTEM



TRY OUT THE DIE FINDER AT
HUSKIETOOLS.COM/DIE-FINDER/



HT-58 SERIES:
MATCHES BURNDY
"W" TYPE DIES FOR
EVS-D3JAW, EVS-
BGJAW, & EVS-OJAW



HT SERIES:
MATCHES KEARNEY
"O" TYPE DIES
FOR EVS-KJAW

6 TON INLINE CRIMPING TOOL WITH CHANGEABLE JAWS

SL-MK7ND & SL-RL7ND

CONNECTOR RANGE

LUGS & SPLICES

#8 to 500 MCM Cu
#8 to 350 MCM Al

H-TAPS

Up to 4/0



SL-MK7ND*



Tool kits are available with & without batteries. See tables on the next page for more details.



SL-RL7ND*

Accepts all “W”, “X” & “O” type dies, depending on jaw selected — see Die Finder at huskietools.com/die-finder/

FEATURES

Ergonomic design for easy one-hand operation

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS

HUSKIE PRO TIP

ALWAYS MAKE SURE PULL PIN IS SECURE BEFORE OPERATING

SERIES 7M PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

SPECIFICATIONS	
CRIMP FORCE	6 Ton
WEIGHT	7.2 lbs. (3.2 kg)
DIMENSIONS (H X L X W)	15.80" x 4.50" x 3.30", 401 x 115 x 84 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 to 500 MCM Cu #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0

	CUTTING CAPACITIES		
	EVS-ACSRJAW	EVS-CUALJAW	EVS-BWJAW
COPPER	350 MCM	750 MCM	Up to 4/0
ALUMINUM	350 MCM	1" O.D.	Up to 4/0
ACSR	556 MCM	Do Not Cut	Up to 4/0
EHS GUY WIRE	Up to 3/8"	Do Not Cut	Up to 1/2"
SOFT LOCKS	Do Not Cut	Do Not Cut	Up to 1/2"
SOFT STEEL BOLTS	Up to 3/8"	Do Not Cut	Up to 1/2"





*Tool images are shown with EVS-BGJAW Crimping Jaws.




MATERIAL CUTTING APPLICATIONS*


COPPER	ALUM.	ACSR	EHS GUY WIRE
750 MCM	1" DIA.	N/A	1/2" DIA.

*Reference the Cutting Capacities chart below for details on cutting specifications for each jaw type.

6 TON INLINE CRIMPING & CUTTING JAWS**FOR SL-MK7ND & SL-RL7ND**

CRIMPING TOOL PRODUCT NO.	JAW	KIT INCLUDES	CHARGER	TOOL BAG	
SL-MK7ND	EVS-D3JAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SL-RL7ND			6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
SL-MK7NDBG	EVS-B6JAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SL-RL7NDBG			6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
SL-MK7NDO	EVS-DJAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SL-RL7NDO			6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
SL-MK7NDK	EVS-KJAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SL-RL7NDK			6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		

CUTTING TOOL PRODUCT NO.	JAW	KIT INCLUDES	CHARGER	TOOL BAG	
SL-MK7NDCUAL	EVS-CUALJAW		6 TON TOOL, EVS-CUALJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SL-RL7NDCUAL			6 TON TOOL, EVS-CUALJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
SL-MK7NDACSR	EVS-ACSRJAW		6 TON TOOL, EVS-ACSRJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SL-RL7NDACSR			6 TON TOOL, EVS-ACSRJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
SL-MK7NDGW	EVS-GWJAW		6 TON TOOL, EVS-GWJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SL-RL7NDGW			6 TON TOOL, EVS-GWJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		

BENDING TOOL PRODUCT NO.	JAW	KIT INCLUDES	CHARGER	TOOL BAG	
SL-MK7NDCB	SL-CBJAW		6 TON TOOL, SL-CBJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SL-RL7NDCB			6 TON TOOL, SL-CBJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		

PRODUCT NO. OPTIONS	KIT INCLUDES
ADD SUFFIX DC FOR 12v DC CHARGER	SAME AS ABOVE BUT REPLACES 120V AC CHARGER WITH 12V DC CHARGER
ADD SUFFIX X FOR TOOL ONLY	TOOL WITH JAW ONLY AND CARRYING BAG , NO BATTERIES OR CHARGER

THE POWER TO CHOOSE.

6 TON INLINE CRIMPING TOOL WITH LED LIGHT RING & CHANGEABLE JAWS

SLC-MK7ND & SLC-RL7ND

CONNECTOR RANGE

LUGS & SPLICES

#8 to 500 MCM Cu
#8 to 350 MCM Al

H-TAPS

Up to 4/0



SLC-MK7ND*

Accepts all “W”, “X” & “O” type dies, depending on jaw selected — see Die Finder at huskietools.com/die-finder/

FEATURES

360° LED light ring

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

Ergonomic design for easy one-hand operation

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



Tool kits are available with & without batteries. See tables on the next page for more details.



SLC-RL7ND*

360° LED LIGHT RING



75KV



TOOL WARRANTY

180° HEAD TURN RADIUS



HUSKIE PRO TIP

ALWAYS MAKE SURE PULL PIN IS SECURE BEFORE OPERATING

SERIES 7M PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

SPECIFICATIONS	
CRIMP FORCE	6 Ton
WEIGHT	7.2 lbs. (3.2 kg)
DIMENSIONS (H X L X W)	15.80" x 4.50" x 3.30", 401 x 115 x 84 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 to 500 MCM Cu #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0

	CUTTING CAPACITIES		
	EVS-ACSRJAW	EVS-CUALJAW	EVS-GWJAW
COPPER	350 MCM	750 MCM	Up to 4/0
ALUMINUM	350 MCM	1" O.D.	Up to 4/0
ACSR	556 MCM	Do Not Cut	Up to 4/0
EHS GUY WIRE	Up to 3/8"	Do Not Cut	Up to 1/2"
SOFT LOCKS	Do Not Cut	Do Not Cut	Up to 1/2"
SOFT STEEL BOLTS	Up to 3/8"	Do Not Cut	Up to 1/2"

*Tool images are shown with EVS-BGJAW Crimping Jaws.

MATERIAL CUTTING APPLICATIONS*





COPPER	ALUM.	ACSR	EHS GUY WIRE
750 MCM	1" DIA.	N/A	1/2" DIA.




*Reference the Cutting Capacities chart below for details cutting specifications for each jaw type.


6 TON INLINE CRIMPING & CUTTING JAWS

FOR SLC-MK7ND & SLC-RL7ND

THE POWER TO CHOOSE.

CRIMPING TOOL PRODUCT NO.	JAW	KIT INCLUDES	CHARGER	TOOL BAG
SLC-MK7ND	EVS-D3JAW 	6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SLC-RL7ND		6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	
SLC-MK7NDBG	EVS-B6JAW 	6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SLC-RL7NDBG		6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	
SLC-MK7NDO	EVS-DJAW 	6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SLC-RL7NDO		6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	
SLC-MK7NDK	EVS-KJAW 	6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SLC-RL7NDK		6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	

CUTTING TOOL PRODUCT NO.	JAW	KIT INCLUDES	CHARGER	TOOL BAG
SLC-MK7NDCUAL	EVS-CUALJAW 	6 TON TOOL, EVS-CUALJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SLC-RL7NDCUAL		6 TON TOOL, EVS-CUALJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	
SLC-MK7NDACSR	EVS-ACSRJAW 	6 TON TOOL, EVS-ACSRJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SLC-RL7NDACSR		6 TON TOOL, EVS-ACSRJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	
SLC-MK7NDGW	EVS-GWJAW 	6 TON TOOL, EVS-GWJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SLC-RL7NDGW		6 TON TOOL, EVS-GWJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	

BENDING TOOL PRODUCT NO.	JAW	KIT INCLUDES	CHARGER	TOOL BAG
SLC-MK7NDCB	SL-CBJAW 	6 TON TOOL, SL-CBJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
SLC-RL7NDCB		6 TON TOOL, SL-CBJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	

PRODUCT NO. OPTIONS	KIT INCLUDES
ADD SUFFIX DC FOR 12v DC CHARGER	SAME AS ABOVE BUT REPLACES 120V AC CHARGER WITH 12V DC CHARGER
ADD SUFFIX X FOR TOOL ONLY	TOOL WITH JAW ONLY AND CARRYING BAG , NO BATTERIES OR CHARGER

THE POWER TO CHOOSE.

6 TON PISTOL GRIP CRIMPING TOOL WITH CHANGEABLE JAWS

REC-MK7NDSL & REC-RL7NDSL

CONNECTOR RANGE

LUGS & SPLICES

#8 to 500 MCM Cu
#8 to 350 MCM Al

H-TAPS

Up to 4/0



REC-MK7NDSL*



HUSKIE PRO TIP

ALWAYS MAKE SURE PULL PIN IS SECURE BEFORE OPERATING

SERIES 7M PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

Accepts all “W”, “X” & “O” type dies, depending on jaw selected — see Die Finder at huskietools.com/die-finder/

Tool kits are available with & without batteries. See tables on the next page for more details.

PATENT PENDING
AUTO RETRACT

20% FASTER ADVANCE

75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS



REC-RL7NDSL*

SERIES 7R PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

FEATURES

Optimized hydraulics for faster advance and retract speeds vs. previous generation

Patent-pending selectable auto-retract switch

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SPECIFICATIONS

CRIMP FORCE	6 Ton
WEIGHT	9 lbs (4.08 kg)
DIMENSIONS (H X L X W)	13.7" x 10.6" x 3.3" 349 x 269 x 85 mm

CONNECTOR RANGE

LUGS & SPLICES	#8 to 500 MCM Cu #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0

CUTTING CAPACITIES

	EVS-ACSRJAW	EVS-CUALJAW	EVS-GWJAW
COPPER	350 MCM	750 MCM	Up to 4/0
ALUMINUM	350 MCM	1" O.D.	Up to 4/0
ACSR	556 MCM	<i>Do Not Cut</i>	Up to 4/0
EHS GUY WIRE	Up to 3/8"	<i>Do Not Cut</i>	Up to 1/2"
SOFT LOCKS	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 1/2"
SOFT STEEL BOLTS	Up to 3/8"	<i>Do Not Cut</i>	Up to 1/2"

*Tool images are shown with EVS-BGJAW Crimping Jaws.





6 TON PISTOL GRIP CRIMPING & CUTTING JAWS




REC-MK7NDSL & REC-RL7NDSL


MATERIAL CUTTING APPLICATIONS*

COPPER	ALUM.	ACSR	EHS GUY WIRE
750 MCM	1" DIA.	N/A	1/2" DIA.

*Reference the Cutting Capacities chart below for details cutting specifications for each jaw type.

CRIMPING TOOL PRODUCT NO.	JAW	KIT INCLUDES	CHARGER	TOOL BAG	
REC-MK7ND	EVS-D3JAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
REC-RL7ND			6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
REC-MK7NDBG	EVS-BGJAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
REC-RL7NDBG			6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
REC-MK7NDO	EVS-DJAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
REC-RL7NDO			6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
REC-MK7NDK	EVS-KJAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
REC-RL7NDK			6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		

CUTTING TOOL PRODUCT NO.	JAW	KIT INCLUDES	CHARGER	TOOL BAG	
REC-MK7NDCUAL	EVS-CUALJAW		6 TON TOOL, EVS-CUALJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
REC-RL7NDCUAL			6 TON TOOL, EVS-CUALJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
REC-MK7NDACSR	EVS-ACSRJAW		6 TON TOOL, EVS-ACSRJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
REC-RL7NDACSR			6 TON TOOL, EVS-ACSRJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		
REC-MK7NDGW	EVS-GWJAW		6 TON TOOL, EVS-GWJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
REC-RL7NDGW			6 TON TOOL, EVS-GWJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		

BENDING TOOL PRODUCT NO.	JAW	KIT INCLUDES	CHARGER	TOOL BAG	
REC-MK7NDCB	SL-CBJAW		6 TON TOOL, SL-CBJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
REC-RL7NDCB			6 TON TOOL, SL-CBJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah		

PRODUCT NO. OPTIONS	KIT INCLUDES
ADD SUFFIX DC FOR 12v DC CHARGER	SAME AS ABOVE BUT REPLACES 120V AC CHARGER WITH 12V DC CHARGER
ADD SUFFIX X FOR TOOL ONLY	TOOL WITH JAW ONLY AND CARRYING BAG , NO BATTERIES OR CHARGER

THE POWER TO CHOOSE.

CABLE BENDING MADE EASY.



Bulldog Bender

Introducing the patented, electrician design & developed Bulldog Bender™ from Huskie Tools.

Built to precisely bend large gauge electrical cable with ease, especially in tight places. Bulldog Bender gives you the power and leverage to easily install, bend, & terminate cable switchgear, pad-mounted transformers, load centers, motor controls, LB conduit bodies, services, panels, meter bases, & more.

HUSKIETOOLS.COM/BULLDOG-BENDER/



Huskie TOOLS

LINEMAN PROVEN
UTILITY APPROVED

SINCE 1976

BUILT FOR EVERYTHING THAT'S ON THE LINE.™



Huskie TOOLS

LINEMAN PROVEN
UTILITY APPROVED

SINCE 1976

HUSKIETOOLS.COM

800.860.6170



CABLE & GROUND ROD BENDING TOOLS

- Ergonomic design for easy one-hand operation
- Provides power and leverage to easily install, bend, & terminate cables
- 5-year tool/3-year battery Huskie Tools limited warranty

THE POWER TO CHOOSE.

BULLDOG BENDER™ CABLE BENDING TOOLS

CAPACITY

CABLE SIZE

up to 1000 MCM



75KV

Provides power and leverage to easily install, bend, & terminate cables



TOOL WARRANTY



FEATURES


Four tool sizes cover wide range of cable sizes up to 1000 MCM

High-strength steel construction and durable powder coat finish ensure long tool-life

90° offset dowel orientation allows ease of use in a variety of applications

Pro Handle with Adapter Bar allows left/right cable bends in tight electrical enclosures

Knurled and smooth dowels included for maximum versatility and user preference*



STANDARD HANDLE

PRO HANDLE

ADAPTER BAR



THE POWER TO CHOOSE.



PART NUMBER	DESCRIPTION
40	Bulldog Bender™ Pup (4/0 AWG), 14" Standard Handle

40-2	Bulldog Bender™ Pup (4/0 AWG) 2-pc. Set, 14" Pro-Handle w/11" Adapter Bar
------	---

40-3	Bulldog Bender™ Pup (4/0 AWG) 3-pc. Set, 14" Std. Handle & 14" Pro-Handle w/11" Adapter Bar
------	---

PART NUMBER	DESCRIPTION
500	Bulldog Bender™ Original (500 MCM), 18" Standard Handle

500-2	Bulldog Bender™ Original (500 MCM) 2-pc. Set, 18" Pro-Handle, w/15" Adapter Bar
-------	---

500-3	Bulldog Bender™ Original (500 MCM) 3-pc. Set, 18" Std. Handle & 18" Pro-Handle w/15" Adapter Bar
-------	--

PART NUMBER	DESCRIPTION
750-H	Bulldog Bender™ Big Daddy (750 MCM), 22" Standard Handle

750-2	Bulldog Bender™ Big Daddy (750 MCM) 2-pc. Set, 22" Pro-Handle w/15" Adapter Bar
-------	---

750	Bulldog Bender™ Big Daddy (750 MCM) 3-pc. Set, 22" Std. Handle & 22" Pro-Handle w/15" Adapter Bar
-----	---

PART NUMBER	DESCRIPTION
T-1000H	Bulldog Bender™ T-1000 (1000 MCM), 26" Standard Handle

T-1000-2	Bulldog Bender™ T-1000 (1000 MCM) 2-pc. Set, 26" Pro-Handle w/18" Adapter Bar
----------	---

T-1000	Bulldog Bender™ T-1000 (1000 MCM) 3-pc. Set, 26" Std. Handle & 26" Pro-Handle w/18" Adapter Bar
--------	---

*Standard Knurled Dowels are factory assembled, with optional Smooth dowels included with each tool. Bulldog Bender Pup is provided with Smooth Dowels only.

GEAR-DRIVE GROUND ROD BENDER

REC-MK7NDGRB & REC-RL7NDGRB


CAPACITY

COPPER GROUND ROD up to 5/8 in.

▶ Easily bends up to 130° degrees



REC-MK7NDGRB



REC-RL7NDGRB



75KV

5 YR

TOOL WARRANTY

HUSKIE PRO TIP

MEASURE TWICE AND BEND ONCE. ALWAYS USE SUPPORT BASE FOR BEST RESULTS

FEATURES

- Ergonomic handle design
- Comfortable operation position
- One hand operation
- Safety lockout switch

5-year tool, 3-year battery
Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK7NDGRB	6 Ton Inline Cable Bender Tool, SLCB-JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger
REC-MK7NDGRBDC	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VDC Charger
REC-MK7NDGRBX	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (Tool Only)

PRODUCT NO.	KIT INCLUDES
REC-RL7NDGRB	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger
REC-RL7NDGRBDC	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VDC Charger
REC-RL7NDGRBX	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (Tool Only)

SPECIFICATIONS

CUTTING FORCE	6 Ton
WEIGHT	12.7 lbs (2.9 kg)
DIMENSIONS (H X L X W)	16" x 9" x 5.5" (406.4 x 228.6 x 139.7 mm)

CAPACITY

COPPER GROUND ROD	up to 5/8 in.
-------------------	---------------

THE NEXT EVOLUTION IN PRECISION CUTTING & CRIMPING TOOLS.

Our **SLC Line** of battery-powered cutting & crimping tools are designed and built with a new compact, lighter and ergonomic body and **industry-only selectable 360° LED light ring**. Linemen now have the cutting & crimping tools that can handle any job under any conditions. SLC cuts **copper, aluminum, ACSR, and EHS Guy Wire with ease** using an ultra-efficient brushless motor. Whether it's underground, high above, or in the dark, SLC weathers the storm and delivers maximum reliability, durability, and safety. We've made it our mission to deliver industry-leading innovative tools that are **BUILT FOR EVERYTHING THAT'S ON THE LINE.**



**360°
LED
LIGHT
RING**

**20%
FASTER
ADVANCE**

**180°
HEAD TURN
RADIUS**



**TOOL
WARRANTY**



75KV



**Huskie
TOOLS**

LINEMAN PROVEN

UTILITY APPROVED

SINCE 1976

LEARN MORE AT
HUSKIETOOLS.COM.

For questions, or a quote,
call us at 800.860.6170
or email us at
info@huskietool.com.

SERIES 7R
PRO LINE

SERIES 7M
PRO LINE

THE POWER TO CHOOSE.

CUTTING TOOLS

- Ergonomic design for easy one-hand operation
- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent pending Auto-Retract feature on pistol grip models provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction
- Choices include INLINE, GEAR DRIVE, PISTOL-GRIP, and LUNCH BOX style tools
- 5-year tool/3-year battery Huskie Tools limited warranty

CUTTING TOOL REFERENCE GUIDE

	MODEL	COPPER/ALUM.
 INLINE SOFT METAL CUTTING	SL-MK7NDCUAL / SL-RL7NDCUAL pg. 17	UP TO 750 MCM / 1" DIA
	SLC-MK7NDCUAL / SLC-RL7NDCUAL pg. 19	UP TO 750 MCM / 1" DIA
	SLC-MK760YC / SLC-RL760YC pg. 30	UP TO 1500 MCM / 2.3"
	SL-MK795YC / SL-RL795YC pg. 39	UP TO 1500 MCM / 3.7" DIA
 PISTOL GRIP SOFT METAL CUTTING	REC-MK7NDCUAL / REC-RL7NDCUAL pg. 21	750 MCM / 1" DIA
	REC-MK734YC / REC-RL734YC pg. 34	800 MCM / 1.3" DIA
	REC-MK760YC / REC-RL760YC pg. 35	500 MCM / 2" DIA
	REC-MK7105YC / REC-RL7105YC pg. 36	UP TO 1500 MCM / 4.3" DIA
 GEAR DRIVE SOFT METAL CUTTING	REC-MK754ACM / REC-RL754ACM pg. 32	UP TO 1000 MCM / 2" DIA
	REC-MK765ACM / REC-RL765ACM pg. 33	UP TO 1000 MCM / 2.5" DIA
 LUNCHBOX SOFT METAL CUTTING	S7L-MK105YC / S7L-RL105YC pg. 39	UP TO 500 MCM / 1.25" DIA
	S7L-MK132 / S7L-RL132 pg. 39	UP TO 5" DIA
 INLINE HARD & SOFT METAL CUTTING	SL-MK7NDACSR / SL-RL7NDACSR pg. 17	UP TO 350 MCM
	SLC-MK7NDACSR / SLC-RL7NDACSR pg. 19	UP TO 350 MCM
	SL-MK7NDGW / SL-RL7NDGW pg. 17	UP TO 4/0
	SLC-MK7NDGW / SLC-RL7NDGW pg. 19	UP TO 4/0
	SL-MKS720 / SL-RLS720 pg. 42	UP TO 4/0
	SL-MKS740L / SL-RLS740L pg. 43	UP TO 4/0
 PISTOL GRIP HARD & SOFT METAL CUTTING	REC-MKS724H / REC-RLS724H pg. 44	UP TO 7/8" DIA
	REC-MKS724CC / REC-RLS724CC pg. 45	DO NOT CUT
	REC-MKS740L / REC-RLS740L pg. 47	UP TO 1.5" DIA
 GEAR DRIVE SOFT & HARD METAL CUTTING	REC-MKY33M / REC-RLY33M pg. 40	UP TO 500 MCM / 1.25" DIA
	REC-MK754M / REC-RL754M pg. 41	UP TO 750 MCM / 2" DIA
 LUNCHBOX SOFT & HARD METAL CUTTING	S7L-MK55 / S7L-RL55 pg. 48	UP TO 2"

CUTTING TOOL REFERENCE GUIDE

ASCR	GUY WIRE	WIRE ROPE	REBAR / GROUND ROD / BOLTS	TELECOM CABLE / LEAD SHEATH
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
				UP TO 2.5" DIA
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
				UP TO 2.5" DIA
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
UP TO 556 MCM	3/8" STANDARD		UP TO 3/8"	
UP TO 556 MCM	3/8" STANDARD		UP TO 3/8"	
UP TO 4/0	1/2" EHS	DO NOT CUT	UP TO 1/2"	DO NOT CUT
UP TO 4/0	1/2"EHS		UP TO 1/2"	
UP TO 477 MCM	3/8" EHS	UP TO 5/8"	UP TO 1/2"	
UP TO 1590 MCM	5/8" STANDARD - 1/2" EHS	UP TO 3/4"	UP TO 5/8"	
UP TO 477 MCM	5/8" STANDARD - 9/16" EHS	UP TO 7/8"		
UP TO 477 MCM	5/8" STANDARD - 9/16" EHS	DO NOT CUT	UP TO 5/8"	N/A
UP TO 1590 MCM	5/8" STANDARD - 1/2" EHS	UP TO 3/4"		
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
UP TO 2515MCM	UP TO 3/4"	UP TO 1"	UP TO 3/4"	DO NOT CUT

6 TON INLINE 60MM CUTTING TOOL WITH LED LIGHT RING

SLC-MK760YC & SLC-RL760YC

MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
1500MCM up to 60mm (2.35" dia.	1000MCM up to 60mm (2.35" dia.	N/A



SLC-MK760YC



Designed for underground cable up to 2.35" diameter and has a 360 degree light ring for visibility

FEATURES

Ergonomic design for easy one-hand operation

Precision machined blades for ultra clean cuts with minimal distortion

NEW 18v brushless motor

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SLC-RL760YC



360° LED LIGHT RING

75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS



HUSKIE PRO TIP

ALWAYS CUT MATERIAL AT 90 DEGREES TO THE BLADES FOR BEST RESULTS

SERIES 7M PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SLC-MK760YC	6 Ton Compact Streamline 60MM Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger
SLC-MK760YCDC	6 Ton Compact Streamline 60MM Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VDC Charger
SLC-MK760YCX	6 Ton Compact Streamline 60MM Cutting Tool, (Tool Only)

PRODUCT NO.	KIT INCLUDES
SLC-RL760YC	6 Ton Streamline 60MM Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger
SLC-RL760YCDC	6 Ton Streamline 60MM Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VDC Charger
SLC-RL760YCX	6 Ton Streamline 60MM Cutting Tool, (Tool Only)

SPECIFICATIONS	
CUTTING FORCE	6 Ton
WEIGHT	6.4 lbs (2.9 kg)
DIMENSIONS (H X L X W)	18.75" x 5.25" x 3.25" (476 x 127 x 83 mm)

CUTTING CAPACITIES	
COPPER	1000MCM up to 60mm (2.35") diameter
ALUMINUM	1500MCM up to 60mm (2.35") diameter
ACSR	Do Not Cut

MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
1500 MCM up to 2.125" dia.	1000 MCM up to 2.125" dia.	N/A

REMOTE CONTROLLED GEAR-DRIVEN SOFT METAL CABLE CUTTER

RCC-MK754ACM

▶ Operation requires remote control for safe use

REMOTELY OPERATES UP TO 300 FEET



75KV



TOOL WARRANTY

FEATURES

Closed jaw design ensures only desired cable is cut

LED lights indicate power, blade engagement, pairing, and complete cut

RF remote control operates tool up to 300 feet away

Dual button action prevents inadvertent tool operation

Grounding stud provides extra layer of safety

Reliable gear-drive tool delivers proven performance

Inserts for tripod, eye bolts, or other rigging hardware supports hand-free operation

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



HUSKIE PRO TIP

USE CARE WHEN ENGAGING BLADE LEVER

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
RCC-MK754ACM	Remote Control Gear-Drive Cable Cutter, (1) RF Remote with 9V Battery, (1) MAKITA LXT® LITHIUM-ION 5.0Ah, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, (1) Tripod, (1) Grounding Stud and Screw, (2) Eye bolts, (1) Tool Case
RCC-MK754ACMDC	Remote Control Gear-Drive Cable Cutter, (1) RF Remote with 9V Battery, (1) MAKITA LXT® LITHIUM-ION 5.0Ah, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VDC Charger, (1) Tripod, (1) Grounding Stud and Screw, (2) Eye bolts, (1) Tool Case
RCC-MK754ACMX	Remote Control Gear-Drive Cable Cutter, (1) RF Remote with 9V Battery, (1) Tripod, (1) Grounding Stud and Screw, (2) Eye bolts, (1) Tool Case

SPECIFICATIONS

WEIGHT	7.5 lbs (3.4 kg)
DIMENSIONS (H X L X W)	14.5" x 6.5" x 4.5"



RCC-MK754ACM

CUTTING ESTIMATES (5.0Ah BATTERY)

1500 MCM ALUMINUM	125 Cycles/Charge
1000 MCM Copper	100 Cycles/Charge

CUTTING CAPACITIES

MAX O.D. CABLE	2 1/8"
----------------	--------

GEAR-DRIVEN CABLE CUTTER (AL/CU)

REC-MK754ACM & REC-RL754ACM

THE POWER TO CHOOSE.

MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
1500 MCM up to 2.125" dia.	1000MCM up to 2.125" dia.	N/A



REC-MK754ACM



▶ Blade design optimized for clean cuts for AL and CU

FEATURES

2-1/8" jaw opening

One-hand operation

Safety lockout switch

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



REC-RL754ACM




75KV


5
YR

**TOOL
WARRANTY**



**HUSKIE
PRO TIP**

HOLD MATERIAL AT 90 DEGREES TO THE CUTTING BLADES FOR BEST RESULTS

SERIES 7M
PRO LINE

MAKITA® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK754ACM	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK754ACMDC	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK754ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-RL754ACM-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL754ACMDC-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL754ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

SPECIFICATIONS

WEIGHT	6.2 lbs (2.8 kg)
DIMENSIONS (H X L X W)	14.5" x 6.5" x 4.5", 368 x 165 x 114 mm

CUTTING CAPACITIES

ALUMINUM	2500 MCM up to 2.5" dia.
COPPER	1000 MCM up to 2.5"
ACSR	DO NOT CUT

CUTTING ESTIMATES (5.0Ah BATTERY)

1500 MCM ALUMINUM	125 Cycles/Charge
1000 MCM COPPER	100 Cycles/Charge

THE POWER TO CHOOSE.

GEAR-DRIVEN CABLE CUTTER (AL/CU)

REC-MK765ACM & REC-RL765ACM

MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
2500 MCM up to 2.5" dia.	1000 MCM up to 2.5"	N/A

Blade design optimized for clean cuts for AL and CU

FEATURES

- 2-1/2" jaw opening
- Increased jaw capacity capable of cutting all 35kV underground cables
- One-hand operation
- Safety lockout switch
- 5-year tool, 3-year battery Huskie Tools® limited warranty
- 75kV live line rated



REC-MK765ACM



REC-RL765ACM



75KV

5 YR

TOOL WARRANTY

HUSKIE PRO TIP

ALWAYS CHECK GEAR GUIDES FOR PROPER BLADE ENGAGEMENT BEFORE OPERATING

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK765ACM	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK765ACMDC	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK765ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL765ACM-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL765ACM-DC-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL765ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

SPECIFICATIONS	
WEIGHT	7.5 lbs (3.4 kg)
DIMENSIONS (H X L X W)	14.5" x 6.5" x 4.5", 368 x 165 x 114 mm

CUTTING CAPACITIES	
ALUMINUM	2500 MCM up to 2.5" dia.
COPPER	1000 MCM up to 2.5"
ACSR	DO NOT CUT

CUTTING ESTIMATES (5.0Ah BATTERY)	
1500 MCM ALUMINUM	125 Cycles/Charge
1000 MCM COPPER	100 Cycles/Charge



BUILT FOR EVERYTHING THAT'S ON THE LINE.™

6.6 TON PISTOL GRIP SOFT METAL CUTTING TOOL

REC-MK734YC & REC-RL734YC

MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
1.3" DIA.	800 MCM up to 1.3" DIA	N/A



REC-MK734YC



**HUSKIE
PRO TIP**

ALWAYS CUT
MATERIAL AT
90 DEGREES
TO THE
BLADES FOR
BEST
RESULTS

Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting

**PATENT
PENDING
AUTO
RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**



REC-RL734YC



FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery
Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY
PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK734YC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK734YCDC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK734YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL734YC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL734YCDC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL734YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	6.6 Ton
WEIGHT	9.1 lbs (4.1 kg)
DIMENSIONS (H X L X W)	15.6" x 10.6" x 3.3", 396 x 269 x 85 mm

CUTTING CAPACITIES	
ALUMINUM	1.3" Dia.
COPPER	800 MCM up to 1.3" dia.
ACSR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)	
500 MCM CU	200 (Cycles/Charge)

MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
2" DIA.	500 MCM	N/A

6.6 TON PISTOL GRIP
SOFT METAL CUTTING TOOL

REC-MK760YC & REC-RL760YC



REC-MK760YC

Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting

PATENT PENDING
**AUTO
RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**



**HUSKIE
PRO TIP**

ALWAYS CUT
MATERIAL AT
90 DEGREES
TO THE
BLADES FOR
BEST
RESULTS



REC-RL760YC



FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery
Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK760YC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK760YCDC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK760YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-RL760YC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL760YCDC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL760YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS

CUTTING FORCE	6.6 Ton
WEIGHT	9.4 lbs (4.2 kg)
DIMENSIONS (H X L X W)	10.6" x 16.7" x 3.3", 69 x 424 x 85 mm

CUTTING CAPACITIES

ALUMINUM	2" Dia.
COPPER	500 MCM
ACSR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)

500 MCM CU	200 (Cycles/Charge)
------------	---------------------



BUILT FOR EVERYTHING THAT'S ON THE LINE.™

12 TON PISTOL GRIP SOFT METAL CUTTING TOOL

REC-MK7105YC & REC-RL7105YC

MATERIAL CUTTING APPLICATIONS

ALUM.	TELECOMM	LEAD SHEATH	ASCR
4.1" DIA	4.1" DIA	2.5" DIA	N/A

THE POWER TO CHOOSE.



REC-MK7105YC



**HUSKIE
PRO TIP**

ALWAYS CUT
MATERIAL AT
90 DEGREES
TO THE
BLADES
FOR BEST
RESULTS

Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting

**PATENT
PENDING
AUTO
RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**



REC-RL7105YC

FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction cycles than previous generation tools for an overall reduction in wait time between crimping or cutting cycles

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

Sidebar handle for stability and balance

5-year tool, 3-year battery Huskie Tools® limited warranty

75kv live line rated

SERIES 7M
PRO LINE

**MAKITA® BATTERY
PLATFORM COMPATIBILITY**

SERIES 7R
PRO LINE

**MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY**

PRODUCT NO.	KIT INCLUDES
REC-MK7105YC	12 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7105YCDC	12 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7105YCX	12 Ton Cutting Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL7105YC-1	12 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7105YCDC-1	12 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7105YCX	12 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	12 Ton
WEIGHT	18.7 lbs (8.5 kg)
DIMENSIONS (H X L X W)	13.7" x 23.6" x 3.9", 48 x 600 x 100 mm

CUTTING CAPACITIES	
ALUMINUM	4.1" Dia.
TELECOMMUNICATION	4.1" Dia.
LEAD SHEATH	2.5" Dia.
ASCR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)	
1000 MCM CU	150 Cycles/Charge

MATERIAL CUTTING APPLICATIONS

ALUM.	TELECOMM	LEAD SHEATH	ASCR
4.1" DIA	4.1" DIA	2.5" DIA	N/A

12 TON LUNCH BOX
SOFT METAL CABLE CUTTER

S7L-MK105YC & S7L-RL105YC



S7L-MK105YC

HUSKIE
PRO TIPHOLD MATERIAL AT
90 DEGREES
TO THE
CUTTING
BLADES
FOR BEST
RESULTS

Auto-retract ram increases productivity and provides faster tool reset after completed cycle



S7L-RL105YC

FEATURES

Improved hydraulics deliver up to 2x faster cutting speeds compared to previous generation tools

270° rotating head for ease-of-use and tool maneuverability

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

PATENT
PENDING
AUTO
RETRACT

20%
FASTER
ADVANCE



75KV

TOOL
WARRANTY

270°
HEAD TURN
RADIUS

SERIES 7M
PRO LINE

MAKITA® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK105YC	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK105YCDC	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK105YCX	12 Ton Cutting Tool (4" Scissor Head) Bare Tool with Tool Bag

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-RL105YC-2	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL105YCDC-2	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL105YCX	12 Ton Cutting Tool (4" Scissor Head) Bare Tool with Tool Bag

SPECIFICATIONS

CUTTING FORCE	12 Ton
WEIGHT	21.7 lbs (9.8 kg)
DIMENSIONS V (H X L X W)	10.5" x 24" x 3.5", 266 x 609 x 88 mm
JAW OPENING	4.1" / 105 mm

CUTTING CAPACITIES

ALUMINUM	4.1" Dia.
TELECOMMUNICATION	4.1" Dia.
LEAD SHEATH	2.5" Dia.
ASCR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)

1000 MCM COPPER/ ALUMINUM	150 Cycles
------------------------------	------------

12 TON INLINE SOFT METAL CUTTING TOOL

SL-MK795YC & SL-RL795YC

MATERIAL CUTTING APPLICATIONS

ALUM.	TELECOMM	LEAD SHEATH	ASCR
3.7" DIA	3.7" DIA	2.5" DIA	N/A

THE POWER TO CHOOSE.



SL-MK795YC



Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting

FEATURES

Sidebar style handles for stability and ergonomic two-hand grip

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RL795YC




75KV



**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**



**HUSKIE
PRO TIP**

ALWAYS CUT
MATERIAL AT
90 DEGREES
TO THE
BLADES
FOR BEST
RESULTS

SERIES 7M
PRO LINE

MAKITA® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MK795YC	12 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK795YCDC	12 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK795YCX	12 Ton Cutting Tool, Bare Tool with Tool Bag

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-RL795YC-1	12 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RL795YCDC-1	12 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL795YCX	12 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS

CUTTING FORCE	12 Ton
WEIGHT	19.8 lbs (8.9 kg)
DIMENSIONS (H X L X W)	26.1" x 9.8" x 4.7", 633 x 250 x 120 mm

CUTTING CAPACITIES

ALUMINUM	3.7" Dia.
TELECOMMUNICATION	3.7" Dia.
LEAD SHEATH	2.5" Dia.
ASCR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)

1000 MCM CU	150 Cycles/Charge
-------------	-------------------

MATERIAL CUTTING APPLICATIONS

CU/AL	COMMUNICATIONS	ACSR
5"	5"	N/A

13 TON LUNCH BOX SOFT METAL CABLE CUTTER

S7L-MK132 & S7L-RL132



S7L-MK132



**HUSKIE
PRO TIP**

FIXED
CUTTING
HEAD
DO NOT
ROTATE

Cuts up to 5" dia.
CU or AL cables



S7L-RL132



FEATURES

Auto-retract ram increases productivity and provides faster tool reset after completed cycle. Ram retract can also be stopped mid-cycle for faster repeat operation

**PATENT
PENDING
AUTO
RETRACT**

Improved weather-resistant case design protects tool against rain and debris

**20%
FASTER
ADVANCE**

Handle-forward case design and auxiliary handle provides improved ergonomics and tool balance

75KV

Dual LED lights illuminate workspace in dark conditions

**5
YR**

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

**TOOL
WARRANTY**

Genuine high-capacity Milwaukee Red Lithium or Makita LXT® 18V lithium-ion batteries provide increased cycles per charge

**180°
HEAD TURN
RADIUS**

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated Warranty

SERIES 7M
PRO LINE

**MAKITA® BATTERY
PLATFORM COMPATIBILITY**

SERIES 7R
PRO LINE

**MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY**

PRODUCT NO.	KIT INCLUDES
S7L-MK132	13 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
S7L-MK132DC	13 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
S7L-MK132X	13 Ton Crimping Tool and Tool Bag

PRODUCT NO.	KIT INCLUDES
S7L-RL132-2	13 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
S7L-RL132DC-2	13 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
S7L-RL132X	13 Ton Crimping Tool and Tool Bag

SPECIFICATIONS	
CUTTING FORCE	13 Ton
WEIGHT	36.6 lbs (16.6 kg)
DIMENSIONS (H X L X W)	10.5" x 31" x 3.5"
JAW OPENING	5"

CUTTING CAPACITIES	
CU/AL CABLE	5"
COMMUNICATIONS	5"
ACSR	DO NOT CUT



BUILT FOR EVERYTHING THAT'S ON THE LINE.™

GEAR-DRIVEN CABLE CUTTER (ACSR/AL/CU)

REC-MKY733M & REC-RLY733M

MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
Up to 1.25" dia.	500 MCM up to 1.25" dia.	636 MCM



REC-MKY733M



Cuts up to 636 MCM ACSR

FEATURES

One-hand operation

Safety lockout switch

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



REC-RLY733M




75KV



TOOL WARRANTY



HUSKIE PRO TIP

HOLD MATERIAL AT 90 DEGREES TO THE CUTTING BLADES FOR BEST RESULTS

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MKY733M	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC CHARGER, & Tool Bag
REC-MKY733MDC	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC CHARGER, & Tool Bag
REC-MKY733MX	Gear-Drive Cable Cutter (ACSR/AL/CU) & Tool Bag

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-RLY733M-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLY733MDC-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLY733MX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

SPECIFICATIONS

WEIGHT	6.6 lbs (3.0 kg)
DIMENSIONS (H X L X W)	14.5" x 4.6" x 5.5", 368 x 117 x 140 mm

CUTTING CAPACITIES

ALUMINUM	Up to 1.25" dia.
COPPER	500 MCM up to 1.25" dia.
ACSR	636 MCM

CUTTING ESTIMATES [5.0Ah BATTERY]

477 ACSR	250 Cycles/Charge
500 MCM Copper	100 Cycles/Charge

MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
1500 MCM up to 2" dia.	750 MCM up to 2" dia.	2156 ACSR BLUEBIRD

GEAR-DRIVE CABLE CUTTER
(ACSR/AL/CU)

REC-MK754M & REC-RL754M



REC-MK754M



Cuts up to
2156 ACSR

FEATURES

Blade notch for cutting steel core on ACSR cable

Improved ergonomic handle

2-1/8" jaw opening

One-hand operation

Safety lockout switch

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



REC-RL754M



75KV



TOOL WARRANTY



HUSKIE PRO TIP

ALWAYS CHECK GEAR GUIDES FOR PROPER BLADE ENGAGEMENT BEFORE OPERATING

THE POWER TO CHOOSE.

SERIES 7M
PRO LINEMAKITA® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK754M	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC CHARGER, & Tool Bag
REC-MK754MDC	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC CHARGER, & Tool Bag
REC-MK754MX	Gear-Drive Cable Cutter (ACSR/AL/CU) & Tool Bag

SPECIFICATIONS

WEIGHT	7.1 lbs (3.2 kg)
DIMENSIONS (H X L X W)	14.0" x 6.5" x 4.5", 355 x 165 x 114 mm

CUTTING CAPACITIES

ALUMINUM	1500 MCM up to 2" dia.
COPPER	750 MCM up to 2" dia.
ACSR	2156 ACSR Bluebird

CUTTING ESTIMATES (5.0Ah BATTERY)

1590 MCM ACSR	100 Cycles/Charge
750 MCM Copper	100 Cycles/Charge

SERIES 7R
PRO LINEMILWAUKEE® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-RL754M-1	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (1) MILWAUKEE REDLITHIUM™ 5.0Ah, AC CHARGER, & Tool Bag
REC-RL754MDC-1	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (1) MILWAUKEE REDLITHIUM™ 5.0Ah, DC CHARGER, & Tool Bag
REC-RL754MX	Gear-Drive Cable Cutter (ACSR/AL/CU) & Tool Bag

6 TON INLINE HARD METAL CUTTING TOOL

SL-MKS720 & SL-RLS720

MATERIAL CUTTING APPLICATIONS

WIRE ROPE	REBAR (SC 40)	REBAR (SC 60)	GROUND ROD	ACSR	GUY WIRE
5/8" DIA.	1/2" DIA.	3/8" DIA.	5/8" DIA.	477 MCM	3/8" DIA.

THE POWER TO CHOOSE.



SL-MKS720



Latched cutting head for superior shear strength on tough materials

FEATURES

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RLS720



75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS



HUSKIE PRO TIP

ALWAYS MAKE SURE LATCH IS SECURE BEFORE OPERATING OR TOOL DAMAGE WILL OCCUR

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MKS720	6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKS720DC	6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKS720X	6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS

CUTTING FORCE	6 Ton
WEIGHT	6.5 lbs (2.9 kg)
DIMENSIONS (H X L X W)	15.5" x 4.8" x 3.1", 394 x 123 x 79 mm

CUTTING CAPACITIES

WIRE ROPE	5/8" Dia.
REBAR (SC 40)	1/2" Dia.
REBAR (SC 60)	3/8" Dia.
GROUND ROD	5/8" Dia.
ACSR	477 MCM
GUY WIRE	3/8" Dia.

CUTTING ESTIMATES (5.0AH BATTERY)

336 ACSR	200 Cycles/Charge
1/2" WIRE ROPE	200 Cycles/Charge
1/2" REBAR	200 Cycles/Charge
1/2" GROUND ROD	200 Cycles/Charge
3/8" GUY WIRE	200 Cycles/Charge

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-RLS720	6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
SL-RLS720DC	6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
SL-RLS720X	6 Ton Cutting Tool, Bare Tool with Tool Bag

8 TON INLINE HARD METAL CUTTING TOOL

SL-MKS740L & SL-RLS740L

MATERIAL CUTTING APPLICATIONS

WIRE ROPE	REBAR (SC 40)	REBAR (SC 60)	GROUND ROD	ACSR	GUY WIRE	Cu/Al CABLE
3/4" DIA.	5/8" DIA.	5/8" DIA.	5/8" DIA.	1590 MCM	5/8" DIA.	1.5" DIA.



SL-MKS740L



Powerful, large capacity head cuts up to 1590 ACSR and a wide variety of materials

FEATURES

Latched cutting head for superior shear strength on tough materials

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RLS740L



TOOL WARRANTY

180° HEAD TURN RADIUS



HUSKIE PRO TIP

ALWAYS SECURE LATCH BEFORE OPERATING OR TOOL DAMAGE WILL OCCUR

THE POWER TO CHOOSE.

SERIES 7M

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MKS740L	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKS740LDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	12.0 lbs (5.4 kg)
DIMENSIONS (H X L X W)	20.1" x 5.2" x 4.0", 12 x 134 x 103 mm

SERIES 7R

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-RLS740L-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLS740LDC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

CUTTING CAPACITIES	
WIRE ROPE	3/4" Dia.
REBAR (SC 40)	5/8" Dia.
REBAR (SC 60)	5/8" Dia.
GROUND ROD	5/8" Dia.
ACSR	1590 MCM
GUY WIRE	5/8" Dia.
CU/AL CABLE	1.5" Dia.

CUTTING ESTIMATES (5.0Ah BATTERY)	
797 ACSR	135 Cycles/Charge
3/4" WIRE ROPE	95 Cycles/Charge
5/8" REBAR	165 Cycles/Charge
5/8" GROUND ROD	165 Cycles/Charge
3/8" GUY WIRE	200 Cycles/Charge



BUILT FOR EVERYTHING THAT'S ON THE LINE.™

8 TON PISTOL GRIP HARD METAL CUTTING TOOL

REC-MKS724H & REC-RLS724H

MATERIAL CUTTING APPLICATIONS

WIRE ROPE	REBAR (SC 40)	REBAR (SC 60)	GROUND ROD	ACSR	GUY WIRE	Cu/Al CABLE
7/8" DIA.	5/8" DIA.	1/2" DIA.	5/8" DIA.	477 MCM	5/8" DIA.	7/16" DIA.

THE POWER TO CHOOSE.



HUSKIE PRO TIP

ALWAYS MAKE SURE LATCH IS SECURE BEFORE OPERATING OR TOOL DAMAGE WILL OCCUR

FEATURES

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

REC-MKS724H

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

Optimized hydraulics for faster advance and retract speeds vs. previous generation

**PATENT PENDING
AUTO
RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**

SERIES 7M
PRO LINE

**MAKITA® BATTERY
PLATFORM COMPATIBILITY**

PRODUCT NO.	KIT INCLUDES
REC-MKS724H	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKS724HDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKS724HX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS

CUTTING FORCE	8 Ton
WEIGHT	9.9 lbs (4.5 kg)
DIMENSIONS (H X L X W)	14.7" x 13.2" x 3.3", 375 x 335 x 85 mm

CUTTING CAPACITIES

WIRE ROPE	7/8" Dia.
REBAR (SC 40)	5/8" Dia.
REBAR (SC 60)	1/2" Dia.
GROUND ROD	5/8" Dia.
ACSR	477 MCM
GUY WIRE	5/8" Dia.
CU/AL CABLE	7/16" Dia.

CUTTING ESTIMATES (5.0Ah BATTERY)

1/2" WIRE ROPE	200 Cycles/Charge
1/2" REBAR	200 Cycles/Charge
1/2" GROUND ROD	200 Cycles/Charge
GUY WIRE	200 Cycles/Charge

SERIES 7R
PRO LINE

**MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY**

PRODUCT NO.	KIT INCLUDES
REC-RLS724H-1	8 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLS724H-DC-1	8 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLS724HX	8 Ton Cutting Tool, Bare Tool with Tool Bag

MATERIAL CUTTING APPLICATIONS

ACSR	GUY WIRE	EHS GUY WIRE	GROUND ROD	REBAR (SC 40)
477 MCM	5/8" DIA.	9/16" DIA.	5/8" DIA.	5/8" DIA.

8 TON PISTOL GRIP HARD METAL CUTTING TOOL

REC-MKS724CC & REC-RLS724CC



REC-MKS724CC



HUSKIE PRO TIP

ALWAYS CUT MATERIAL AT 90 DEGREES TO THE BLADES FOR BEST RESULTS

Optimized hydraulics for faster advance and retract speeds vs. previous generation



REC-RLS724CC

PATENT PENDING AUTO RETRACT

20% FASTER ADVANCE

75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS

THE POWER TO CHOOSE.

FEATURES

Patent-pending selectable auto-retract switch

Latched cutting head for superior shear strength on tough materials

Specifically designed anvil blades made to cut EHS guy wire up to 9/16"

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MKS724CC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKS724CCDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKS724CCX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	9.9 lbs (4.5 kg)
DIMENSIONS (H X L X W)	13" x 11" x 3.3", 334 x 280 x 85 mm

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-RLS724CC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLS724C-CDC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLS724CCX	8 Ton Cutting Tool, Bare Tool with Tool Bag

CUTTING CAPACITIES		CUTTING ESTIMATES [5.0Ah BATTERY]	
ACSR	477 MCM	477 ACSR	200 Cycles/Charge
GUY WIRE	5/8" Dia.	1/2" WIRE ROPE	200 Cycles/Charge
EHS GUY WIRE	9/16" Dia.	1/2" GROUND ROD	200 Cycles/Charge
GROUND ROD	5/8" Dia.	3/8" GUY WIRE	200 Cycles/Charge
REBAR (SC 40)	5/8" Dia.		

6.6 TON PISTOL GRIP HARD METAL CUTTING TOOL

REC-MK730Y & REC-RL730Y

MATERIAL CUTTING APPLICATIONS

ACSR	COPPER	ALUM.	STD. GUY WIRE	REBAR
336MCM	500 MCM	1.18" DIA.	3/8" DIA.	N/A

THE POWER TO CHOOSE.



**HUSKIE
PRO TIP**

ALWAYS CUT
MATERIAL AT
90 DEGREES
TO THE
BLADES
FOR BEST
RESULTS



REC-MK730Y

Optimized hydraulics for faster advance and retract speeds vs. previous generation

**PATENT
PENDING
AUTO
RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**



REC-RL730Y

FEATURES

Blade keeper prevent jaws from spreading apart when cutting ACSR

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

**MAKITA® BATTERY
PLATFORM COMPATIBILITY**

PRODUCT NO.	KIT INCLUDES
REC-MK730Y	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK730YDC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK730YX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS

CUTTING FORCE	6.6 Ton
WEIGHT	9.5 lbs (4.3 kg)
DIMENSIONS (H X L X W)	13.3" x 10.6" x 3.3", 339 x 269 x 85 mm

SERIES 7R
PRO LINE

**MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY**

PRODUCT NO.	KIT INCLUDES
REC-RL730Y	6.6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL730YDC	6.6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL730YX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

CUTTING CAPACITIES

ACSR	336 MCM
COPPER	500 MCM
ALUMINUM	1.18" O.D.
STANDARD GUY WIRE	3/8" Dia.
REBAR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)

336 ACSR	200 Cycles/Charge
----------	-------------------

MATERIAL CUTTING APPLICATIONS

WIRE ROPE	REBAR (SC 40)	REBAR (SC 60)	GROUND ROD	ACSR	GUY WIRE	Cu/Al CABLE
3/4" DIA.	5/8" DIA.	5/8" DIA.	5/8" DIA.	1590 MCM	5/8" DIA.	1.5" DIA.

8 TON PISTOL GRIP HARD METAL CUTTING TOOL

REC-MKS740L & REC-RLS740L



REC-MKS740L



HUSKIE PRO TIP
ALWAYS SECURE LATCH BEFORE OPERATING OR TOOL DAMAGE WILL OCCUR



▶ **Powerful, large capacity head cuts up to 1590 ACSR and a wide variety of materials**

PATENT PENDING AUTO RETRACT

20% FASTER ADVANCE

75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS



REC-RLS740L



FEATURES

Optimized hydraulics for faster advance and retract speeds vs. previous generation

Patent-pending selectable auto-retract switch

Latched cutting head for superior shear strength on tough materials

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MKS740L	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKS740LDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	14.1 lbs (6.4 kg)
DIMENSIONS (H X L X W)	11.5" x 17" x 3.6", 293 x 445 x 91 mm

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-RLS740L-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLS740LDC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

CUTTING CAPACITIES		CUTTING ESTIMATES (5.0Ah BATTERY)	
WIRE ROPE	3/4" Dia.	797 ACSR	135 Cycles/Charge
REBAR (SC 40)	5/8" Dia.	3/4" WIRE ROPE	95 Cycles/Charge
REBAR (SC 60)	5/8" Dia.	5/8" REBAR	165 Cycles/Charge
GROUND ROD	5/8" Dia.	5/8" GROUND ROD	165 Cycles/Charge
ACSR	1590 MCM	3/8" GUY WIRE	200 Cycles/Charge
GUY WIRE	5/8" Dia.		
CU/AL CABLE	1.5" Dia.		

13 TON LUNCH BOX HARD METAL CABLE CUTTER

S7L-MK55 & S7L-RL55

MATERIAL CUTTING APPLICATIONS

SOFT STEEL BOLTS	REBAR, GROUND & ANCHOR ROD	CU & AL CABLE	ACSR	STANDARD GUY CABLE	WIRE ROPE
1-1/4"	3/4"	2"	Up to 2515	3/4"	1"



S7L-MK55



HUSKIE PRO TIP

ALWAYS SECURE LATCH BEFORE OPERATING OR TOOL DAMAGE WILL OCCUR

▶ Cutting capacity up to 2515 ACSR



S7L-RL55



FEATURES

Improved hydraulics deliver up to 2x faster cutting speeds compared to previous generation tools

180° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity & provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics & tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

PATENT PENDING
AUTO RETRACT

20% FASTER ADVANCE



75KV



TOOL WARRANTY

180° HEAD TURN RADIUS

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK55	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK55DC	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK55X	13 Ton Cutting Tool (2" Guillotine Head) Bare Tool with Tool Bag

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-RL55-2	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL55DC-2	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL55X	13 Ton Cutting Tool (2" Guillotine Head) Bare Tool with Tool Bag

SPECIFICATIONS

CUTTING FORCE	13 Ton
WEIGHT	21.5 lbs (9.7 kg)
DIMENSIONS (H X L X W)	10.5" x 24" x 3.5", 266 x 609 x 88 mm
JAW OPENING	2" / 55 mm

CUTTING CAPACITIES

SOFT STEEL BOLTS	1-1/4"
REBAR, GROUND & ANCHOR ROD	3/4"
CU & AL CABLE	2"
ACSR	Up to 2515
STANDARD GUY CABLE	3/4"
WIRE ROPE	1"

CUTTING ESTIMATES (5.0Ah BATTERY)

CU & AL CABLE	150 Cycles
ACSR	125 Cycles

SERIES 7R
PRO LINE

SERIES 7M
PRO LINE

THE POWER TO CHOOSE.

CRIMPING TOOLS

- Ergonomic design for easy one-hand operation
- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent pending Auto-Retract feature on pistol grip models provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction
- Choices include INLINE, PISTOL-GRIP, and LUNCH BOX style tools
- 5-year tool/3-year battery Huskie Tools limited warranty

CRIMPING TOOL REFERENCE GUIDE

THE POWER TO CHOOSE.

	6 TON	
CONNECTOR RANGE	<p>Lugs and Splices: up to 500MCM Copper up to 350MCM Aluminum H-Taps: 4/0-4/0 Aluminum</p>	<p>Lugs and Splices: up to 750MCM* Copper up to 750MCM* Aluminum H-Taps: N/A</p>
DIES	<p>W / X / O Type Dies Huskie HT58 and HT series</p>	<p>DIELESS</p>
INLINE	 <p>SL-MK7ND / SL-RL7ND pg. 16</p>	 <p>SL-MK7630 / SL-RL7630 pg. 54</p>
	 <p>SLC-MK7ND / SLC-RL7ND pg. 18</p>	 <p>SL-MK7750* / SL-RL7750* pg. 55</p>
PISTOL GRIP	 <p>REC-MK7NDSL / REC-RL7NDSL pg. 20</p>  <p>REC-MK758U / REC-RL758U pg. 52</p>	 <p>REC-MK7630 / REC-RL7630 pg. 56</p>  <p>REC-MK7750* / REC-RL7750* pg. 57</p>
	<p>N/A</p>	<p>N/A</p>
LUNCHBOX	<p>N/A</p>	<p>N/A</p>

CRIMPING TOOL REFERENCE GUIDE

12 TON		15 TON	
<p>Lugs and Splices: up to 750MCM Copper up to 750MCM Aluminum H-Taps: #8 - 500 MCM Aluminum</p>		<p>Lugs and Splices: up to 1000MCM Copper up to 1000MCM Aluminum H-Taps: N/A</p>	
<p>U / WH-2 / WH-3 Type Dies Huskie HT41 and HTK series</p>		<p>DIELESS</p>	
 <p>SL-MKC7510 / SL-RLC7510 pg. 58</p>	 <p>SL-MK71000 / SL-RL71000 pg. 64</p>	 <p>SL-MK7610 / SL-RL7610 pg. 68</p>	
 <p>SL-MK7510K / SL-RL7510K pg. 59</p>	 <p>SL-MKC71000 / SL-RLC71000 pg. 65</p>	 <p>SL-MKC7610 / SL-RLC7610 pg. 69</p>	
 <p>REC-MKR430 / REC-RL7430 pg. 60</p>	 <p>REC-MK71000 / REC-RL71000 pg. 63</p>	 <p>REC-MKC7610/ REC-RLC7610 pg. 68</p>	
 <p>REC-MK7510 / REC-RL7510 pg. 61</p> <p>REC-MK7510K / REC-RL7510K pg. 62</p>		 <p>S7L-MK510 / S7L-RL510 pg. 66</p> <p>S7L-MK510K / S7L-RL510K pg. 67</p>	 <p>S7L-MK610 / S7L-RL610 pg. 71</p>
	<p>N/A</p>	 <p>S7L-MK610TB / S7L-RL610TB pg. 72</p>	

6 TON PISTOL GRIP CRIMPING TOOL

REC-MK758U & REC-RL758U

CONNECTOR RANGE

LUGS & SPLICES

#8 to 500 MCM Cu
#8 to 350 MCM Al

H-TAPS

Up to 4/0

THE POWER TO CHOOSE.



REC-MK758U



HUSKIE PRO TIP

ALWAYS MAKE SURE PULL PIN IS SECURE BEFORE OPERATING



REC-RL758U

▶ Patent pending Auto-Retract feature provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction. Auto-Retract can also be stopped mid-cycle to speed repeat operation

**PATENT PENDING
AUTO
RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**

FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

5-year tool, 3-year battery
Huskie Tools® limited warranty

Head rotates 180° for optimum maneuverability in tight workspaces

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY
PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK758U	6 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK758UDC	6 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK758UX	6 Ton Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL758U	6 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL758UDC	6 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL758UX	6 Ton Crimping Tool, Bare Tool with Tool Bag

CRIMPING ESTIMATES (5.0Ah BATTERY)

4/0-4/0 H-TAP	200 Cycles/Charge
500 MCM CU	200 Cycles/Charge

CONNECTOR RANGE

LUGS & SPLICES	#8 to 500 MCM Cu, #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0

SPECIFICATIONS

CRIMP FORCE	6 Ton
WEIGHT	7.3 lbs (3.3 kg)
DIMENSIONS (H X L X W)	13.7" x 10.6" x 3.3", 349 x 269 x 85 mm

CONNECTOR RANGE

LUGS & SPLICES	#8 to 500 MCM Cu #8 to 350 MCM Al	H-TAPS	Up to 4/0
---------------------------	--------------------------------------	---------------	-----------

6 TON PISTOL GRIP CRIMPING TOOL

REC-MKCN758 & REC-RLCN758



REC-MKCN758



REC-RLCN758

▶ Open “C” head design allows user to place crimping head over the connector without having to close a latch before starting a crimping cycle

**PATENT PENDING
AUTO
RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**



**HUSKIE
PRO TIP**

ALWAYS CHECK THAT D3 NEST DIE IS IN PLACE BEFORE SECURING “W” DIE SET

FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

Patent pending Auto-Retract feature provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction. Auto-Retract can also be stopped mid-cycle to speed repeat operation

SERIES 7M
PRO LINE

**MAKITA® BATTERY
PLATFORM COMPATIBILITY**

SERIES 7R
PRO LINE

**MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY**

PRODUCT NO.	KIT INCLUDES
REC-MKCN758	6 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKCN758DC	6 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKCN758X	6 Ton Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RLCN758	6 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RLCN758DC	6 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RLCN758X	6 Ton Crimping Tool, Bare Tool with Tool Bag

**CRIMPING ESTIMATES
(5.0Ah BATTERY)**

4/0-4/0 H-TAP	200 Cycles/Charge
500 MCM CU	200 Cycles/Charge

CONNECTOR RANGE

LUGS & SPLICES	#8 to 500 MCM Cu, #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0

SPECIFICATIONS

CRIMP FORCE	6 Ton
WEIGHT	9.7 lbs (4.4 kg)
DIMENSIONS (H X L X W)	15.4" x 10.6" x 3.3", 391 x 269 x 85 mm

6.2 TON INLINE DIELESS CRIMPING TOOL

SL-MK7630 & SL-RL7630

CONNECTOR RANGE

LUGS & SPLICES

#10 to 500 MCM



SL-MK7630



Four integrated crimping nibs eliminate need for multiple die sets

FEATURES

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RL7630



75KV

5 YR

TOOL WARRANTY

360° HEAD TURN RADIUS

HUSKIE PRO TIP

BE SURE TO CENTER THE CONNECTOR BETWEEN NIBS BEFORE CRIMPING

SERIES 7M PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MK7630	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK7630DC	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK7630X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SERIES 7R PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-RL7630	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
SL-RL7630DC	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
SL-RL7630X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	9.9 lbs (4.5 kg)
DIMENSIONS (H X L X W)	17.8" x 5.5" x 3.0", 454 x 140 x 70 mm

CONNECTOR RANGE	
LUGS & SPLICES	#10 TO 500 MCM

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM Cu	200 Cycles/Charge

THE POWER TO CHOOSE.

CONNECTOR RANGE

LUGS & SPLICES #10 to 750 MCM AL/CU

6.2 TON INLINE DIELESS CRIMPING TOOL

SL-MK7750 & SL-RL7750



SL-MK7750

Four integrated crimping nibs eliminate need for multiple die sets

FEATURES

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RL7750

75KV

5
YR

TOOL WARRANTY

360°
HEAD TURN RADIUS



HUSKIE PRO TIP

BE SURE TO SECURE LATCH AND CENTER THE CONNECTOR BEFORE CRIMPING

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MK7750	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK7750DC	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK7750X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RL7750	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
SL-RL7750DC	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
SL-RL7750X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	10.3 lbs (4.6 kg)
DIMENSIONS (H X L X W)	18.2" x 5.5" x 3.0", 463 x 140 x 78 mm

CONNECTOR RANGE	
LUGS & SPLICES	#10 TO 750 MCM AL/CU

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM Cu	200 Cycles/Charge

6.2 TON PISTOL GRIP DIELESS CRIMPING TOOL

REC-MK7630 & REC-RL7630

CONNECTOR RANGE

LUGS & SPLICES #10 to 500 MCM



REC-MK7630



HUSKIE PRO TIP

BE SURE TO CENTER THE CONNECTOR BETWEEN NIBS BEFORE CRIMPING



REC-RL7630



Four integrated crimping nibs eliminate need for multiple die sets

PATENT PENDING AUTO RETRACT

20% FASTER ADVANCE

75KV

5 YR

TOOL WARRANTY

360° HEAD TURN RADIUS

FEATURES

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight workspaces

Pistol-grip tools feature optimized hydraulics for faster advance and retract speeds vs. previous generation

Pistol-grip tools feature patent-pending selectable auto-retract switch

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK7630	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC CHARGER, TOOL BAG
REC-MK7630DC	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7630X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL7630	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL7630DC	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL7630X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	10.8 lbs (4.9 kg)
DIMENSIONS (H X L X W)	15.6" x 11.6" x 3.3", 397 x 297 x 85 mm

CONNECTOR RANGE	
LUGS & SPLICES	#10 TO 500 MCM

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM Cu	200 Cycles/Charge

THE POWER TO CHOOSE.

CONNECTOR RANGE

LUGS & SPLICES #10 to 750 MCM AL/CU

6.2 TON PISTOL GRIP DIELESS CRIMPING TOOL

REC-MK7750 & REC-RL7750



REC-MK7750



REC-RL7750

Four integrated crimping nibs eliminate need for multiple die sets

PATENT PENDING AUTO RETRACT

20% FASTER ADVANCE

75KV

5 YR

TOOL WARRANTY

360° HEAD TURN RADIUS



HUSKIE PRO TIP

BE SURE TO SECURE LATCH AND CENTER THE CONNECTOR BEFORE CRIMPING



FEATURES

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight workspaces

Pistol-grip tools feature optimized hydraulics for faster advance and retract speeds vs. previous generation

Pistol-grip tools feature patent-pending selectable auto-retract switch

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK7750	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7750DC	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7750X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL7750	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL7750DC	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL7750X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	11 lbs (4.9 kg)
DIMENSIONS (H X L X W)	11.6" x 16" x 3.3", 296 x 406 x 85 mm

CONNECTOR RANGE	
LUGS & SPLICES	#10 TO 750 MCM AL/CU

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM Cu	200 Cycles/Charge



12 TON INLINE CRIMPING TOOL

SL-MKC7510 & SL-RLC7510

CONNECTOR RANGE

LUGS

750 MCM
Al/Cu

SPLICES

600 MCM
Al/Cu



SL-MKC7510

▶ Accepts all "U" type industry standard die sets

FEATURES

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces

Inline tool design for easy use in underground applications

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RLC7510

75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS

HUSKIE PRO TIP

DO NOT OPERATE TOOL WITH-OUT DIES IN PLACE

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MKC7510	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKC7510DC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKC7510X	12 Ton Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RLC7510-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLC7510DC-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLC7510X	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	14.1 lbs (6.4 kg)
DIMENSIONS (H X L X W)	19.7" x 6.4" x 4.0", 510 x 162 x 103 mm
JAW OPENING	1.65"

CONNECTOR RANGE	
LUGS & SPLICES	750 MCM Al/Cu

CRIMPING ESTIMATES [5.0AH BATTERY]	
500 MCM Cu	140 Cycles/Charge
750 MCM Cu	135 Cycles/Charge

CONNECTOR RANGE

LUGS	1033 ACSR	SPLICES	477 ACSR
-------------	-----------	----------------	----------

12 TON INLINE CRIMPING TOOL

SL-MK7510K & SL-RL7510K



SL-MK7510K



▶ **SL-MKC7510K accepts all WH-2, WH-3 and PH-2 Kearney style die sets**

FEATURES

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RL7510K



TOOL WARRANTY

180° HEAD TURN RADIUS



HUSKIE PRO TIP

SECURE CRIMPING DIES WITH SET SCREW BEFORE OPERATING

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MK7510K	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK7510KDC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK7510KX	12 Ton Crimping Tool, Bare Tool with Tool Bag

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-RL7510K-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RL7510KDC-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL7510KX	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS

CRIMP FORCE	12 Ton
WEIGHT	13.6 lbs (6.2 kg)
DIMENSIONS (H X L X W)	19.1" x 6.5" x 4", 486 x 166 x 103 mm

CONNECTOR RANGE

LUGS	1033 ACSR
SPLICES	477 ACSR

CRIMPING ESTIMATES [5.0AH BATTERY]

750 MCM Cu	125 Cycles/Charge
500 MCM Cu	135 Cycles/Charge



12 TON PISTOL GRIP CRIMPING TOOL

REC-MK7430 & REC-RL7430

THE POWER TO CHOOSE.

CONNECTOR RANGE

LUGS

750 MCM
Al/Cu

SPLICES

600 MCM
Al/Cu



REC-MK7430



**HUSKIE
PRO TIP**

NEVER RUN
THIS TOOL
WITHOUT A
DIE IN PLACE

► Accepts all “U” type industry standard die sets



REC-RL7430



**PATENT
PENDING
AUTO
RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**

FEATURES

1.18” jaw opening

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Protective rubber boot on “C” head helps prevent accidental contact with energized circuits

Designed for use in single-handed operation in overhead line applications

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY
PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK7430	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7430DC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7430X	12 Ton Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL7430-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7430DC-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7430X	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	15.4 lbs (6.9 kg)
DIMENSIONS (H X L X W)	16.2" x 11.5" x 3.6", 413 x 291 x 91mm
JAW OPENING	1.2"

CONNECTOR RANGE	
LUGS	750 MCM Al/Cu
SPLICES	600 MCM Al/Cu

CRIMPING ESTIMATES [5.0AH BATTERY]	
750 MCM Cu	145 Cycles/Charge

CONNECTOR RANGE

LUGS

750 MCM
Al/Cu

SPLICES

600 MCM
Al/Cu

12 TON PISTOL GRIP CRIMPING TOOL

REC-MK7510 & REC-RL7510



REC-MK7510



HUSKIE PRO TIP

DO NOT OPERATE TOOL WITHOUT DIES IN PLACE

▶ Accepts all "U" type industry standard die sets

**PATENT PENDING
AUTO RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**



REC-RL7510



FEATURES

1.65" jaw opening

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Designed for use in single-handed operation in overhead line applications

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK7510	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7510DC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7510X	12 Ton Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL7510-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7510DC-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7510X	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	15.6 lbs (7.1 kg)
DIMENSIONS (H X L X W)	17.0" x 11.3" x 3.6", 432 x 287 x 91mm
JAW OPENING	1.65"

CONNECTOR RANGE	
LUGS & SPLICES	750 MCM Al/Cu

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	145 Cycles/Charge
500 MCM Cu	155 Cycles/Charge

12 TON PISTOL GRIP CRIMPING TOOL

REC-MK7510K & REC-RL7510K

CONNECTOR RANGE

LUGS	1033 ACSR	SPLICES	477 ACSR
------	-----------	---------	----------



REC-MK7510K



HUSKIE PRO TIP

SECURE CRIMPING DIES WITH SET SCREW BEFORE OPERATING

▶ Accepts all WH-2, WH-3 and PH-2 Kearney style die sets

PATENT PENDING AUTO RETRACT

20% FASTER ADVANCE

75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS



REC-RL7510K



FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK7510K	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7510KDC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7510KDC	12 Ton Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL7510K-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7510KDC-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7510KDC	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	15.6 lbs (7.1 kg)
DIMENSIONS (H X L X W)	16.4" x 11.5" x 3.6", 418 x 293 x 91 mm

CONNECTOR RANGE	
LUGS	1033 ACSR
SPLICES	477 ACSR

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	145 Cycles/Charge

CONNECTOR RANGE

LUGS & SPLICES

#8 AWG - 1000 MCM Cu
#8 AWG - 1000 MCM Al

12 TON PISTOL GRIP DIELESS CRIMPING TOOL

REC-MK71000 & REC-RL71000



REC-MK71000



REC-RL71000

Dieless indent-style crimping

**PATENT PENDING
AUTO
RETRACT**

**20%
FASTER
ADVANCE**

75KV

**5
YR**

**TOOL
WARRANTY**

**180°
HEAD TURN
RADIUS**



**HUSKIE
PRO TIP**

MAKE SURE
CONNECTOR
IS RATED
FOR DIE-
LESS TOOL
APPLICATION

FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

Bright White, LED Lights for Working in Low Light Conditions

Audible Bypass when Predetermined Pressure is Achieved

Latched Head Design

Eliminates the Need for Dies

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

**MAKITA® BATTERY
PLATFORM COMPATIBILITY**

SERIES 7R
PRO LINE

**MILWAUKEE® BATTERY
PLATFORM COMPATIBILITY**

PRODUCT NO.	KIT INCLUDES
REC-MK71000	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VAC Charger, Tool Bag
REC-MK71000DC	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL71000-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VAC Charger, Tool Bag
REC-RL71000DC-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	12.5 lbs (5.6 kg)
DIMENSIONS (H X L X W)	21" x 5.6" x 4", 533 x 142 x 103 mm
JAW OPENING	1.95" / 49.5 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 AWG - 1000 MCM Cu #8 AWG - 1000 MCM Al

CRIMPING ESTIMATES (5.0Ah BATTERY)	
750 MCM CU	130 Cycles
1000 MCM AL	145 Cycles

12 TON INLINE DIELESS CRIMPING TOOL

SL-MK71000 & SL-RL71000

CONNECTOR RANGE

LUGS & SPLICES

#8 AWG - 1000 MCM Cu
#8 AWG - 1000 MCM Al



SL-MK71000



Dieless indent-style crimping

FEATURES

Head rotates 180° for optimum maneuverability in tight workspaces

Bright White, LED Lights for Working in Low Light Conditions

Audible Bypass when Predetermined Pressure is Achieved

Latched Head Design

Eliminates the Need for Dies

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RL71000



75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS



HUSKIE PRO TIP

MAKE SURE CONNECTOR IS RATED FOR DIE-LESS TOOL APPLICATION

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MK71000	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VAC Charger, Tool Bag
SL-MK71000DC	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RL71000-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VAC Charger, Tool Bag
SL-RL71000DC-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	11.5 lbs (5.2 kg)
DIMENSIONS (H X L X W)	21" x 5.6" x 4", 533 x 142 x 103 mm
JAW OPENING	1.95" / 49.5 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 AWG - 1000 MCM Cu
	#8 AWG - 1000 MCM Al

CRIMPING ESTIMATES [5.0Ah BATTERY]	
750 MCM CU	130 Cycles
1000 MCM AL	145 Cycles

CONNECTOR RANGE

LUGS & SPLICES

#8 AWG - 1000 MCM Cu
#8 AWG - 1000 MCM Al

12 TON INLINE DIELESS CRIMPING TOOL

SL-MKC71000 & SL-RLC71000



SL-MKC71000



Dieless indent style crimping nib eliminates the need for multiple die sets

FEATURES

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RLC71000



TOOL WARRANTY

180° HEAD TURN RADIUS



HUSKIE PRO TIP

MAKE SURE THE CONNECTOR IS RATED FOR DIE-LESS TOOL CRIMP APPLICATION

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MKC71000	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKC71000DC	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKC71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RLC71000-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLC71000DC-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLC71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	21.7 lbs (9.8 kg)
DIMENSIONS (H X L X W)	19.1" x 6.5" x 4", 486 x 166 x 103 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 AWG - 1000 MCM Cu
	#8 AWG - 1000 MCM Al

CRIMPING ESTIMATES (5.0Ah BATTERY)	
750 MCM CU	130 Cycles
1000 MCM AL	145 Cycles

12 TON LUNCH BOX CRIMPING TOOL

S7L-MK510 & S7L-RL510

CONNECTOR RANGE

LUGS & SPLICES

750 MCM Al/Cu

THE POWER TO CHOOSE.



S7L-MK510



HUSKIE PRO TIP

NEVER RUN THIS TOOL WITHOUT A DIE IN PLACE



S7L-RL510



Accepts all "U" type industry standard die sets

FEATURES

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Open "C" head design allows easy placement and removal of connector from tool

Improved hydraulics deliver up to 2x faster crimping speeds compared to previous generation tools

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

PATENT PENDING
AUTO RETRACT

20% FASTER ADVANCE



75KV



TOOL WARRANTY

270° HEAD TURN RADIUS

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK510-2	12 Ton Crimping Tool with "C" Head (1.65"), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK510DC-2	12 Ton Crimping Tool with "C" Head (1.65"), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK510X	12 Ton Crimping Tool with "C" Head (1.65") Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
S7L-RL510-2	12 Ton Crimping Tool with "C" Head (1.65"), (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL510DC-2	12 Ton Crimping Tool with "C" Head (1.65"), (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL510X	12 Ton Crimping Tool with "C" Head (1.65") Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	16.8 lbs (7.6 kg)
DIMENSIONS (H X L X W)	10.5" x 22" x 3.5", 266 x 558 x 88 mm
JAW OPENING	1.65" / 41.9 mm

CONNECTOR RANGE	
LUGS & SPLICES	750 MCM Al/Cu

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM COPPER 750 ALUMINUM	100 Cycles

CONNECTOR RANGE

LUGS

Up to 1033 ACSR

SPLICES

Up to 477 ACSR

12 TON LUNCH BOX CRIMPING TOOL

S7L-MK510K & S7L-RL510K



S7L-MK510K



HUSKIE PRO TIP

BE SURE TO SECURE CRIMPING DIES WITH SET SCREW BEFORE OPERATING



S7L-RL510K

Accepts all WH-2, WH-3 and PH-2 Kearney style die sets, as well as "U" type industry standard dies with use of UDK-1 die adapter

PATENT PENDING AUTO RETRACT

FEATURES

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

20% FASTER ADVANCE

Open "C" head design allows easy placement and removal of connector from tool



75KV

Improved hydraulics deliver up to 2x faster crimping speeds compared to previous generation tools



TOOL WARRANTY

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

270° HEAD TURN RADIUS

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK510K-2	12 Ton Crimping Tool with Kearney Head, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK510KDC-2	12 Ton Crimping Tool with Kearney Head, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK510KX	12 Ton Crimping Tool with Kearney Head Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
S7L-RL510K-2	12 Ton Crimping Tool with Kearney Head, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL510KDC-2	12 Ton Crimping Tool with Kearney Head, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL510KX	12 Ton Crimping Tool with Kearney Head Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	16.4 lbs (7.4 kg)
DIMENSIONS (H X L X W)	10" x 21" x 3.5", 254 x 533 x 88 mm
JAW OPENING	1.5" / 38 mm

CONNECTOR RANGE	
LUGS	Up to 1033 ACSR
SPLICES	Up to 477 ACSR

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM COPPER 750 ALUMINUM	100 Cycles



15 TON INLINE CRIMPING TOOL

SL-MK7610 & SL-RL7610

CRIMPING CAPACITY

ALUMINUM

#8 AWG to 1250 MCM

COPPER

#8 AWG to 1500 MCM

H-TAPS

Up to 750



SL-MK7610



Accepts all "P" type industry standard die sets, as well as "U" type industry standard dies with the use of the PU-15 die adapter

FEATURES

Protective rubber boot on head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RL7610



75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS



HUSKIE PRO TIP

BE SURE TO SECURE LATCH PIN BEFORE OPERATING

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MK7610	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK7610DC	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RL7610-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RL7610DC-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	16.5 lbs (7.4 kg)
DIMENSIONS (H X L X W)	25.0" x 5.3" x 4.0", 635 x 136 x 103 mm

CRIMPING CAPACITY	
ALUMINUM	#8 AWG to 1250 MCM
COPPER	#8 AWG to 1500 MCM
H-TAP	Up to 750/750

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	95 Cycles

CRIMPING CAPACITY

ALUMINUM	#8 AWG to 1250 MCM	COPPER	#8 AWG to 1500 MCM	H-TAPS	Up to 750
-----------------	--------------------	---------------	--------------------	---------------	-----------

15 TON INLINE CRIMPING TOOL

SL-MKC7610 & SL-RLC7610



SL-MKC7610



Accepts all "P" type industry standard die sets, as well as "U" type industry standard dies with the use of the PU-15 die adapter

FEATURES

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Open "C" head design allows user to place crimping head over the connector without having to close a latch before starting a crimping cycle

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



SL-RLC7610



TOOL WARRANTY

180° HEAD TURN RADIUS



HUSKIE PRO TIP

CHECK DIES TO BE SURE THEY ARE SECURE BEFORE OPERATING

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MKC7610	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKC7610DC	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKC7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-RLC7610-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLC7610DC-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLC7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	19.7 lbs (8.9 kg)
DIMENSIONS (H X L X W)	22.3" x 6.0" x 4.0", 566 x 153 x 103 mm

CRIMPING CAPACITY	
ALUMINUM	#8 to 1250 MCM
COPPER	#8 to 1500 MCM
H-Tap	Up to 750/750

CRIMPING ESTIMATES [5.0AH BATTERY]	
750 MCM Cu	95 Cycles/Charge

15 TON PISTOL GRIP CRIMPING TOOL

REC-MKC7610 & REC-RLC7610

CRIMPING CAPACITY

ALUM.	#8 AWG to 1250 MCM	COPPER	#8 AWG to 1500 MCM	H-TAPS	Up to 750
--------------	--------------------	---------------	--------------------	---------------	-----------



REC-MKC7610



HUSKIE PRO TIP

CHECK DIES TO BE SURE THEY ARE SECURE BEFORE OPERATING

Accepts all "P" type industry standard die sets, as well as "U" type industry standard dies with the use of the PU-15 die adapter

20% FASTER ADVANCE

75KV

5 YR

TOOL WARRANTY

180° HEAD TURN RADIUS



REC-RLC7610

FEATURES

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Open "C" head design allows user to place crimping head over the connector without having to close a latch before starting a crimping cycle

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MKC7610	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKC7610DC	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKC7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RLC7610-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLC7610DC-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLC7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	20.9 lbs (9.48 kg)
DIMENSIONS (H X L X W)	20.5" x 4" x 13", 520 x 101 x 330 mm

CONNECTOR RANGE	
ALUMINUM	#8 to 1250 MCM
COPPER	#8 to 1500 MCM
H-TAP	Up to 750/750

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	95 Cycles/Charge

THE POWER TO CHOOSE.

CONNECTOR RANGE

LUGS & SPLICES

#8 - 1500 MCM Copper
#8 - 1250 MCM Aluminum

H-TAPS

Up to 750/750 MCM

15 TON LUNCH BOX CRIMPING TOOL

S7L-MK610 & S7L-RL610



S7L-MK610



HUSKIE PRO TIP

ALWAYS CHECK TO MAKE SURE LATCH IS SECURE & CRIMPING DIES ARE IN PLACE BEFORE OPERATING



S7L-RL610



Accepts all "P" type industry standard die sets, and "U" type industry standard dies with use of PU-15 die adapter

PATENT PENDING AUTO RETRACT

FEATURES

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

20% FASTER ADVANCE

Improved hydraulics deliver up to 2x faster crimping speeds compared to previous generation tools



75KV

Auto-retract ram increases productivity and provides faster tool reset after completed cycle



TOOL WARRANTY

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

270° HEAD TURN RADIUS

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK610	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
S7L-MK610DC	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
S7L-MK610X	15 Ton Crimping Tool and Tool Bag

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-RL610-2	15 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
S7L-RL610DC-2	15 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
S7L-RL610X	15 Ton Crimping Tool and Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	18.9 lbs (8.5 kg)
DIMENSIONS (H X L X W)	10.5" x 23.5" x 3.5", 266 x 596 x 88 mm
JAW OPENING	2" / 50.8 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 - 1500 MCM Copper #8 - 1250 MCM Aluminum
H-TAP	Up to 750/750 MCM

CRIMPING ESTIMATES (5.0Ah BATTERY)	
1000 MCM CU	95 Cycles



15 TON LUNCH BOX CRIMPING TOOL

S7L-MK610TB & S7L-RL610TB

CONNECTOR RANGE

LUGS & SPLICES

#8 - 1500 MCM Copper
#8 - 1250 MCM Aluminum

H-TAPS

Up to 750/750 MCM



S7L-MK610TB



HUSKIE PRO TIP

ALWAYS CHECK TO MAKE SURE LATCH IS SECURE & CRIMPING DIES ARE IN PLACE BEFORE OPERATING

Accepts T&B style 15 ton dies and "U" type industry standard dies with use of a T&B die adapter



S7L-RL610TB



FEATURES

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Improved hydraulics deliver up to 2x faster crimping speeds compared to previous generation tools

270° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools limited warranty

75kV live line rated

PATENT PENDING
AUTO RETRACT

20% FASTER ADVANCE

75KV

5 YR

TOOL WARRANTY

270° HEAD TURN RADIUS

SERIES 7M
PRO LINE

MAKITA® BATTERY PLATFORM COMPATIBILITY

SERIES 7R
PRO LINE

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK610TB	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
S7L-MK610TBDC	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
S7L-MK610TBX	15 Ton Crimping Tool and Tool Bag

PRODUCT NO.	KIT INCLUDES
S7L-RL610TB-2	15 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
S7L-RL610TBDC-2	15 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
S7L-RL610TBX	15 Ton Crimping Tool and Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	20.9 lbs (9.48 kg)
DIMENSIONS (H X L X W)	10.5" x 23.5" x 3.5", 266 x 596 x 88 mm
JAW OPENING	2" / 50.8 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 - 1500 MCM Copper #8 - 1250 MCM Aluminum
H-TAP	Up to 750/750 MCM

CRIMPING ESTIMATES [5.0Ah BATTERY]	
1000 MCM CU	95 Cycles



THE POWER TO CHOOSE— INNOVATION SINCE 1976

SAFE, TOUGH & DEPENDABLE

Since 1976, Huskie Tools has established a reputation for building hydraulic, battery-powered bending, cutting & crimping tools that are as tough and dependable as the linemen who use them. Our tools are the safest, most durable and dependable and we stake our reputation on it each and every day.

LINEMAN PROVEN – UTILITY APPROVED

We know what it's like to use our tools in a driving rainstorm with thousands of families depending on you to restore their power. Or to have to twist and contort your body just to access an underground area that needs repair. That is why we offer our extensive line of battery-operated hydraulic tools that are among the fastest, and most ergonomically designed and balanced on the market.

No competitor comes close to the breadth of product solutions that we offer, and we're the No. 1 choice of experienced linemen for a reason.

We stand behind our tools and take tremendous pride in serving the needs of the utility industry. Through in-depth industry knowledge and unsurpassed tool expertise, Huskie Tools provides truly exceptional customer service, technical support, and product service.

A SPIRIT OF INNOVATION

We are constantly innovating our products to give our customers the best technology because we know you have the power to choose the tools that are best for you.

We introduced the industry's first line of battery-powered hydraulic tools in 1989, and today we offer over **200 battery-powered tools on the two most popular battery platforms**, Milwaukee & Makita. To provide linemen with the best utility grade tools and choice of battery platforms, we have designed our tools to work with the best performing, most dependable batteries on the market.

INTO THE FUTURE

Since 1976, we've only been doing one thing — building the best, broadest and safest hydraulic cutting and crimping tools and accessories in the utility industry. We live, eat, and breathe lineman tools. They're not just tools, they're our business — **our ONLY business**.

We appreciate our thousands of loyal customers, and we're committed to supporting our industry's ability to choose the tools that work best no matter the project or application. We look forward to continuing to innovate so that we continue to be the #1 choice of utility lineman for the next 50 years.

THE POWER TO CHOOSE

THE POWER TO CHOOSE.



BATTERIES & CHARGERS

SERIES 7M - MAKITA®

BATTERY & CHARGER FEATURES

Rapid charging—reaches full charge in 45 minutes or less

Protection against overloading, over-discharging and over-heating

Longer run times and consistent power, even in extreme conditions

Integrated LED battery charge level indicator for easy monitoring

Maintains charge even after long periods of storage

Impact-resistant outer case and shock-absorbing inner liner for protection

3-year Huskie Tools battery & charger warranty

BATTERIES

PRODUCT	DESCRIPTION
BL1820B	Makita 18V LXT® Lithium-Ion Compact 2.0Ah Battery
BL1850B	Makita 18V LXT® Lithium-Ion 5.0Ah Battery



BL1850B

BL1820B

CHARGERS

PRODUCT	DESCRIPTION
DC18RC	Makita 18V LXT® Lithium-Ion Rapid Optimum Charger (120VAC)
DC18SE	Makita 18V LXT® Lithium-Ion Optimum Automotive Charger (12VDC)



DC18RC

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

BATTERIES & CHARGERS

SERIES 7R - MILWAUKEE®

BATTERY & CHARGER FEATURES

Onboard battery fuel gauge displays remaining runtime

Battery construction offers long-lasting performance and durability

All-weather performance delivers fade-free battery power in extreme conditions

Charger quickly charges all M12™ and M18™ battery packs

Charger communicates with the battery pack to ensure a full charge and battery protection

3-year Huskie Tools battery & charger warranty

THE POWER TO CHOOSE.

BATTERIES

PRODUCT	DESCRIPTION
48-11-1820	MILWAUKEE M18™ REDLITHIUM™ CP 2.0 Battery
48-11-1850	MILWAUKEE M18™ REDLITHIUM™ XC 5.0 Battery



CHARGERS

PRODUCT	DESCRIPTION
48-59-1812	MILWAUKEE M18™ & M12™ Multi-Voltage AC Charger
48-59-1810	MILWAUKEE M18™ & M12™ Multi-Voltage DC Charger



Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

SERIES 7M & SERIES 7R PRODUCT WARRANTY

**HUSKIE TOOLS PRODUCTS CARRY
A WARRANTY THAT MAKES US
A LEADER IN THE UTILITY INDUSTRY.**

PRODUCT WARRANTY

SL, REC, and SLC Tools	5 Years
Makita LXT® Batteries and Chargers	3 Years
Milwaukee® M18™ REDLITHIUM™ Batteries and Chargers	3 Years

The warranty does not cover any damages incurred from a Huskie Tools product including damages to property, bodily injuries and lost wages resulting from such injuries. This warranty solely covers the repair or replacement of tools supplied by Huskie. These remedies are exclusive, and the total liability of Huskie Tools, LLC whether based on contract, warranty, negligence, indemnification, strict liability or otherwise, shall not exceed the purchase price of the tool. In no event, shall Huskie Tools, LLC be liable for consequential, incidental or special damages.

HUSKIE TOOLS, LLC MAKES NO OTHER WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED, AND ALL IMPLIED WARRANTIES INCLUDING ANY WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Huskie reserves the right to determine all warranty claims. Huskie will not warranty tools containing parts or batteries not originally supplied by Huskie. Failure due to misuse, improper maintenance, misapplication, not following instructions or warnings, abuse or repairs attempted by anyone other than Huskie Tools, LLC, or an authorized service center renders this warranty null and void.

REPAIR AND WARRANTY CLAIMS

All claims must be sent to Huskie for inspection and authorization. A Return Goods Authorization (RGA) is required before shipping tools to Huskie. Secure the authorization by telephoning or writing to Huskie's main office with details of the claim. Non-warranty repairs are handled using the same procedure. Repairs exceeding 50 percent of the cost of a new tool will be advised before repairs are made.



REPAIR & WARRANTY INFORMATION CAN ALSO BE FOUND ON OUR WEBSITE AT
huskietools.com/resources/rga/

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

Images, content and information were as accurate as possible at the time this catalog was produced.

FIND YOUR DIE INSTANTLY FROM YOUR DESKTOP OR PHONE.


DIEFINDER™
BY HUSKIE TOOLS

New dies? New tools? Whatever the need, they have made it as easy as 1, 2, 3 with an updated easy to navigate website featuring its fast and intuitive Product Finder and a newly engineered and customized Die Finder that couldn't be easier to use.

The **Huskie Tools Die Finder** allows customers to input any information they have on the die that they are looking for, click search, and instantly see all the appropriate available dies that fit their needs. Armed with that information, they can contact their local tool supplier and order up exactly what they need, knowing they have all the necessary info to get the order placed and to get the order right.

So whether you are in search of the latest tool technology or you need to get your hands on specific replacement dies, Huskie Tools has the quick and easy process to get you all the info you need to get what you want.

TRY OUT THE DIE FINDER AT
HUSKIETOOLS.COM/DIE-FINDER/



BUILT FOR EVERYTHING THAT'S ON THE LINE.™

Since 1976, Chicago born Huskie Tools has been the #1 choice for lineman tools & equipment across every essential electrical utility category. Huskie Tools has the industry's most complete power product line including the largest assortment of hydraulic cutting & crimping tools — over 200 models powered by the most popular battery platforms, Milwaukee® & Makita®, 30 different hand-powered manual tools, remote cutting & crimping heads, dies, die kits, battery & gas powered high-pressure pumps, single & double acting 60, 100, 200-ton presses including titanium, plus TiiGER® material handling & pole pulling equipment & Power Grips™ cable grips.

EXPLORE ALL OF OUR INDUSTRY-LEADING
BATTERY-POWERED HYDRAULIC UTILITY
LINEMEN TOOLS AT HUSKIETOOLS.COM.



**Huskie
TOOLS**

LINEMAN PROVEN
UTILITY APPROVED

SINCE 1976

THE
POWER
TO
CHOOSE

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.